Oztent RV-3





Key Features:

- O Set up in less than 30 seconds
- O Patented design
- O 100% waterproof material guaranteed
- Lots of internal space
- O Sleeps 3 to 4



Description:

More space, same time. At 2.4 m/7.9' wide the Oztent RV-3 delivers more space than the RV-2 yet packs down to the same convenient 2 m/6.6' length in its bag. An ingenious location of the frame folding point is the secret to this clever, compact stowaway. So go big – it won't cost you any more space.

Oztent RV-3



Features	
YKK Zips on Main Entry	YKK zips are known globally as the highest quality zippers. YKK make over half of the zippers used worldwide and we use them for our main entry way
Awning Stiffener	Built into the awning, the stiffener allows one person to pack away the awning easily.
Power Inlet	Get power inside your tent without exposing you to the elements with our handy power inlet located on the 'A' side of every tent
Internal Side Windows	No need to leave your tent to open your window in the morning. Our side windows open and close from the inside for convenience.
Attached Awning	Our awning is always attached. No need for installation, just un-do the straps and roll it out.



All images shown remain the property of the publisher. All images used in this datasheet are for illustration purposes only and actual items may vary in appearance. Precautions have been taken to assure accuracy of the information on this sheet. Typographic or pictorial errors that are brought to our attention will be corrected in subsequent updates. Product dimensions shown here are nominal and are provided for the convenience of our customers. The Oztent Group reserves the right to make product changes from time to time, without prior notification, which may change the dimensions shown. The designs and dimensions of the products listed on this sheet are correct at the date of last publication and are subject to change without

Oztent RV-3



Specifications:

Material	
ent	8 Ounce Rip-Stop Poly-Cotton Canvas
loor	Heavy-duty, Heat Sealed PVC Tub Floor
rame	Strong Aluminium
ly Screens	No-See-Um Mesh
Pimensions	
Packed Size	200cm (l) x 33cm (w) x 18cm (h) 6.6' (l) x 1' (w) x 7" (h)
Set Up Size	200cm (l) x 240cm (w) x 190cm (h) 6.6' (l) x 7.9' (w) x 6.2' (h)
wning Size	200cm (l) x 240cm (w) 6.6' (l) x 7.9' (w)
Veight	21 kg 46 lbs
Varranty	
Varranty Period	2 years
Varranty Type	Manufacturers
Package Contents	Quantity
ent	1
ttached Awning	1
.9m/6'2" Telescopic Poles	2
ttached Guy Ropes	4
egs/Stakes	16
wning Guy Ropes	2
Owners Manual	1
Carry Bag	1
Invironment Testing	
Invironment Testing Vind Rating	Tested to 100km/h or 62mph