

Section 12

Heating/Cooling/ Washing Machines

Air Conditioners

Diesel Heaters

Washing Machines





Introducing the new FreshJet 7 series

Introducing the new FreshJet RV air conditioner series. Featuring a streamlined design throughout the range, combined with superior cooling performance, optimised airflow, and the quietest operation yet. The Series 7 features the next generation of Dometic's leading inverter technology, delivering the quietest and smoothest operation, perfect for off-grid applications. Each model is designed to be compact and have a minimal footprint so you can utilise valuable rooftop real estate for solar panels and other needs. CleanAir ensures circulating air is fresh and clean thanks to the built-in air purification system. The new air distribution box (ADB) gives you complete control over the system, along with remote and full Wi-Fi/Bluetooth connectivity, cooling and heating is only a touch of a button away.



TECHNICAL DATA

MODEL	Dometic FreshJet 7 Series Plus	Dometic FreshJet 7 Series Pro	Dometic FreshJet 7 Series Lite	Dometic FreshJet Electronic ADB
SKU	9620001689	9620001685	9620008762	9620001693
Dimensions W x D x H (mm)	700 x 1090 x 283	700 x 1090 x 242	702 x 752 x 225	518 x 579 x 48
Installed Weight with ADB (kg)	43	41	34	3.90 (ADB Only)
Current Consumption Cooling Max (A)	7.8	7.3	6.9	
Cooling Capacity (W)	3400	2900	2600	
Current Consumption Heating Max (A)	6.5	5.9	6.6	
Heating Capacity (W)	2900	2700	2300	
Number of Blower Speeds	4	4	4	

Freshjet Plus - 8746

Freshjet Pro - 8747

Freshjet Lite - 8748

Electric ABD - 8749

HEATING/COOLING/ WASHING MACHINES

DOMETIC

Aircommand Ibis 4



In addition to the performance improvements from the Ibis 3, the Dometic Ibis 4 also features several refinements to the build of the rooftop unit. The shell of the rooftop unit has been redesigned with strong EPP materials to ensure a lightweight build. Weighing in at only 40 kg.it. The Dometic Ibis 4 has the option to be fitted to both 400 x 400 mm and 360 x 360 mm roof openings, a first for the Ibis series..



- Excellent cooling capacity of 2.6 kW*
- Dimensions: 758 x 230 x 1112 mm*
- Reduced noise levels compared to previous Dometic air conditioners, even at maximum speed*
- Adjustable vents for even air distribution*
- Lightweight rooftop unit at only 40 kg*
- Four fan speeds, including a turbo speed*
- Suitable for both 400 x 400 mm and 360 x 360 mm roof openings*


Ibis 4 - 8745

DOMETIC

H Frames

H FRAME 360

The Dometic H Frame 360 is suitable for use with the Dometic CALR and BR342 series of air conditioners



H FRAME 400

400MM X 400MM Support Frame to suit Freshjet Series Air Conditioners.

H Frame 360 - 8796
H Frame 400 - 8797

DOMETIC

Harrier Plus Inverter Air Conditioner



The Dometic Harrier Plus is a rooftop RV air conditioner that is efficient, powerful and quiet. It uses the advanced technology of a dual-cylinder inverter compressor that is smoother and quieter when operating and has a powerful cooling capacity. Featuring a lightweight design and low profile, the Harrier Plus will impress with its functionality, output, cooling and heating.

- DIMENSIONS*
- Dimensions product depth 1070 mm*
- Dimensions product height 280 mm*
- Dimensions product width 750 mm*
- Net weight 44 kg*

Harrier Plus - 8801

DOMETIC

Harrier Lite Inverter Air Conditioner



The Dometic Harrier Lite is Dometic's latest innovation in air conditioning and has been specially designed to fit small to medium-sized caravans, pop-tops, and campers. Dometic has struck a balance between utilising a lightweight, compact design, and an impressive heating and cooling performance. It comes featured with cool, white LED lights, and the dual-cylinder inverter compressor that the market has come to know through the highly sought-after IBIS 4.

- DIMENSIONS*
- Dimensions product depth 1070 mm*
- Dimensions product height 280 mm*
- Dimensions product width 750 mm*
- Net weight 45 kg*
- ELECTRICAL*
- Input voltage (AC 230-240 V*
- Input frequency 50 Hz*
- Starting current - max 6.50 A*

Harrier Lite - 8806

Aufocus



AUFOCUS DIESEL HEATERS

2KW Diesel Heater Kit With Stainless Steel Tank

Motor Cover



5L Fuel Tank with reversable level gauge and lock-able fuel cap.
Voice LCD panel with remote control
Solid construction - high grade heat resistant hard casing
1.2m duct with Flat vent
Super quiet fuel pump

Aluminum Main Unit Cover
Excellent for protecting the heater unit when its installed in a storage area.

Measurements:
Width: 175mm
Length: 390mm
Depth 158mm

2KW Diesel Heater Kit With Stainless Steel Tank - 8820

Motor Cover - 8821C

2KW Bluetooth Diesel Heater Kit With Stainless Steel Tank



5L Stainless Steel Fuel Tank with level gauge (Only unit on the market with a Stainless steel tank as standard). Thermostatically Controlled (Unit shuts down and restarts to maintain set temperature). Heat shield wrap for the exhaust pipe
Voice LCD panel with remote control.

2KW Bluetooth Diesel Heater Kit With Stainless Steel Tank - 8821

HEATING/COOLING/ WASHING MACHINES

Aufocus



AUFOCUS DIESEL HEATERS

12V 2KW Portable Diesel Heater



Built in 3.5L tank.
Voice LCD panel with remote control
Solid construction - high grade heat resistant hard casing
Built in silent fuel pump
Anderson Connector
High quality muffler with heavy duty clamp

12V 2KW Portable Diesel Heater - 8823

7L Stainless Steel Diesel Fuel Tank



364mm W X 395mm H X 100mm D
Includes Lockable cap and side tank viewing.

7L Stainless Steel Diesel Fuel Tank - 8826

Aluminum Black Checker Plate Diesel Heater Tank Cover 5L



Black checker plate fuel tank cover
Black checker plate mounting plate
Increases mounting options and provides additional protection to the 5L stainless steel fuel tank.

Aluminum BlackChecker Plate Diesel Heater Tank Cover 5L - 8829CPB

5L Stainless Steel Diesel Fuel Tank



5L Stainless Steel fuel tank with lockable cap, level gauge and fuel tap.


5L Stainless Steel Diesel Fuel Tank - 8825

Spare Parts



- Ducting Per Metre - 8828
- Heater Exhaust - 8829
- Fuel Filter - 8829FF
- Installation Kit - 8829IT
- Remote - 8829RE
- Air Filter - 8829AF
- Fuel Pump - 8829FP

Aluminum Silver Checker Plate Diesel Heater Tank Cover 5L



Aluminium checker plate cover - Silver - including mounting plate suitable for Gen 4 AUFOCUS 5L stainless steel tanks.

Aluminum Silver Checker Plate Diesel Heater Tank Cover 5L - 8829CSS

DOMETIC
Coolair RTX 2000



**TRUCK PARKING COOLER,
2000 W, 12 V**

Self-contained and battery-operated truck roof parking cooler with up to 6 h running time. Highly efficient: only 19 A consumption in Eco mode. Connect to 12 V power input. Can be installed in existing roof hatch.

**UP TO 6 H
MAXIMUM COOLING
BOOST
MODE
QUIET**



Coolair RTX 2000 - 8806

truma VarioHeat eco

VarioHeat is an especially compact heater for caravans, motor homes and campervans. It can be installed flexibly in various positions – vertically or horizontally – and is suitable as the main heater in a van or an additional heater in larger vehicles.



•Features:

- Propane / butane
- Operating pressure 30 mbar
- Rated heat output 1300 W / 2800 W
- Fuel consumption 100 g/h / 220 g/h
- Power supply 12 V
- Power consumption 0.65 A / 2.75 A
- Weight approx. 5.5 kg
- Dimensions (L x W x H) 400 x 284 x 123 mm

Varioheat - 8813

DOMETIC Eberspächer Airtronic D2



Dimensions W115 x H122 x D310 mm
Weight 2.7 kg Capacity 2,200 watts Power
Heat flow
High; 1,800w
Medium; 1,200w
Low; 850w. Voltage 12 volts Performance
Electrical consumption:
High; 22w
Medium; 12w
Low; 8w. Other Quality features

DOMETIC Eberspächer Airtronic D4



Dimensions W150 x H140 x D371 mm Weight approx. 4.5 kg Capacity 4,000 watts Power
Heat flow
High; 3,000w
Medium; 2,000w
Low; 900w. Voltage 12 volts Performance
Electrical consumption:
High; 24w
Medium; 13w
Low; 7w. Warranty 1 year

- Smooth, automatic room temperature control with temperature pre-set facility.
- Low fuel and power consumption, suitable for longer periods of operation.
- More comfort through wide control range, quiet night-time operation.
- Fully electronic microprocessor control. •Continuous monitoring.
- Power stage to cut heating times. •Diagnostic system.
- Low noise operation.
- Low maintenance, easy to service. •Can be operated whilst on the move.
- Fuel supplied from the vehicle's own tank (diesel only).
- Small and compact design for easy and space-saving installation within the interior or even under the floor.

Eberspächer Airtronic D2 Single Outlet -8810
Fuel Tank to suit D2 - 8811D

Eberspächer Airtronic D4 Single Outlet - 8812
Fuel Tank to suit D4 - 8811

CaraFan

Sahara CP700

The CaraFan Sahara CP700 Caravan Pressuriser unit keeps your caravan... **DUST FREE!**

Designed and tested for Australian conditions, the CP700 Pressuriser creates a POSITIVE pressure inside your caravan whilst driving to keep dust out!!



Keep dust out without blocking ventilation points
Enjoy less maintenance and cleaning
Reduce allergies brought on by dust
Safeguard your electronics by keeping dust out
Protect your equipment and caravan
Peace of mind that your protected from dust



Sahara CP700 - 8819

Sphere 2.6kg Washing Machine



The Sphere Automatic Mini Washing Machine has five process settings from a wash-rinse-spin cycle (lasting approx 38mins) to a simple spin cycle (lasting approx 7mins). Wash settings are set via the uncomplicated control panel.
Load Capacity: 2.6Kg
Power Supply: 240V/50Hz
Max Water Volume: 20Lt Net
Inlet hose: Cold connection only
Max water usage: 60Lt per load (on high setting)
Weight: 16Kg

Dimensions: W x D x H - 410mm x 420mm x 640mm
Sphere 2.6kg Washing Machine - 8814



NCE 3.2KG Washing Machine



3.2kg Top load 240V washing machine specifically designed for the RV industry, featuring 5 programmable wash settings including gentle wash through to full cycle. LED display, unbalance detection, and basket with lockable tabs
Size: 740(H) x 420(D) x 410(W)mm
Weight: only 18.5kg

NCE 3.2kg Washing Machine - 8845



NCE 2.5KG Washing Machine



2.5kg Top load 240V washing machine specifically designed for the RV industry, featuring 5 programmable wash settings including gentle wash through to full cycle. LED display, unbalance detection, and basket with lockable tabs

Size: 640(H) x 420(D) x 410(W)mm
Weight: only 16kg.

NCE 2.6kg Washing Machine - 8844



Compact RV 2.5KG Washing Machine



FEATURES
• Economical cold water washing
• Blue LED display with Wash Time Remaining function
• 7 Washing program combinations including Quick Wash
• High & Low water level adjustment for large & small loads
• Precision stainless steel tub
• Securing strap and basket included
Dimensions: 410mm(w) x 640mm(h) x 420mm(d)
Weight: 16KG

RV Media 2.5kg Washing Machine - 8846



Size: 34 x 34 x 35cm
Capacity 3kg
Bottom suction cups
Quick Drying
Removable Washing Basket
Removable Handle

Mini Wash



Mini Washing Machine - 0022

