

Section 14

Vents & Hardware

Hatches Vents Vent Lids 12V Hatches **Roof Cowls** Scupper Vents Hinges **Cupboard Catches** Camper Trailer Hardware **Roof Clamps** Rosettes Curtain Track **Utility Hatches** Pop Top Hardware Canopy Lifters Gas Struts Table Legs & Bases Folding Picnic Tables

MITERIA

Universal Vent Lid

Description • Universal vent lid replaces Jensen, Ventline, Elixir and Ventadome vent lids · Made of durable impact and UV resistant polypropylene

· Rust-resistant mounting hardware included • 16" x 15" x 3.5"



Universal Vent Lid - 10001

Universal Air Roof

Including Bug Screen & Hardware





UV Inhibited

Impact resistant

Ideal to cover all types of 14" x 14" Hatches

Leave your hatch up while travelling or when its raining

Made from UV Stabilized Rezin

Universal Air Roof Vent Black - 10002 Universal Air Roof Vent White - 10003

OZVENT









Now available with a white or black ABS plastic lid, hand crank to open and close.

Screen to keep out the insects and allow air flow




Complete with internal trim.

14" X 14" Hatch White Lid- 10005 14" x 14" Hatch Black Lid - 10006 **Replacement Lid White - 10035** Replacement Lid Black - 10035B Winder Mechanism - 10114WG

14" X 14" Hatch 12 Volt





White plastic lid, metal surround with a 12v fan.Complete with internal trim.

14" X 14" Hatch 12 Volt White Lid - 10015 14" X 14" Hatch 12 Volt Black Lid - 10017 **Garnish - 10016**

Winder Mechanism - 10114WG







14" x 14". Easily identifiable by grooved/slotted hinge spigots. Available in Black &



Replacement Jensen New Style Lid White - 10020 Replacement Jensen New Style Lid Black - 10020B

OZVENTO 12 Volt Replacement **Motor & Fan D Bore**







Replacement fan and motor for caravan 12v hatch. White 6 x blades Blades 5.5cm each Fan width 15cm

Ozvent 12v Fan & Motor - 10025 Ozvent 12v Fan Only D Bore - 10036 Ozvent 12v Fan Only Round Bore - 10037 Ozvent 12v Motor Only - 10039

Jensen14"x14"Hatch



White Metal Base, New Style. Unique self centering device. Vent opens and closes with interior crank and has radius corners.

Jensen 14" x 14" Hatch - 10008

Replacement Hatch Winder Handle



Black. Suits Ozvent, Jensen & Elixer

Replacement Hatch Winder Handle - 10034 Replacement Jensen Old Style Lid



14" x 14". Easily identifiable by four attachment spigots. Pin not included.

Replacement Jensen Old Style Lid - 10010

Jensen 14" x 14" Hatch 12 Volt



The 12V Jensen hatch is 355mm x 355mm (14" x 14") with a fan and has a white metal base with a lid that is white acrylic and UV resistant. It has radius corners and a positive weather stripping seal that is water tight and leak resistant.

Jensen 14" x 14" Hatch 12 Volt - 10018

Replacement Elixir Lid New



14" x 14". New style lid with metal slide on track.

Replacement Elixir Lid - 10035

This Mini Skylight is fitted with

400mm x 400mm Illuminating Skylight






illuminating LED mood lights and switch. Comes standard with block out blind, fly screen and tinted dome. Cutout is 402mm x 402mm Roof Thickness: 28-50mm **12V DC** Aero dvnamic Fast and firm lock and unlock structure Mood lighting with adjustable brightness Double glazed acrylic, UV resistant

Pleated blind & flyscreen

400mm x 400mm Illuminating Skylight - 10021

LED Skylight 700 x 500mm



12V DC LED Lights Cut out Dimensions: 500 x 700mm (4R-50mm)

Overall Dimensions :645 x 835mm

SEAL NOT INCLUDED

LED Skylight Large - 10022





Elixer Plastic 12 Volt Roof

Hatch

14" x 14" roof
vent fitted with metal base
and a 12 volt fan to extract
unwanted steam and
exhaust fumes.

Elixer Plastic 12v Roof Hatch - 10038

Replacement Elixir Lid Old Style



14" x 14". Old style lid with metal slide on track.

Replacement Elixir Lid Old Style - 10043

Hengs Roof Hatch



9" x 9" roof vent with plastic trim.

Hengs Roof Hatch - 10058 12V LED Light Garnish with Switch



Screw in led light surround to suit 14" roof hatches and vents with a 14x14 inch cut out comes with a switch if required or you can wire to your own switch 12 volt - 36 LEDs

Low power consumption
Outside measurements 406mm
Inside measurements 336mm
Mounting holes centres 380mm squared Simply screw into your internal garnish

Hengs Roof Hatch - 10104

4 Seasons Evolution Hatch



Retrofittable to upgrade your old 4 seasons hatch. Passive ventilation increased to 223cm2 (was 161cm2 on previous model)Ergonomic vent controlsEach door has three opening positions (closed, rain mode, fully open)Tough ASA construction resulting in improved sealant adhesion



Technical specifications:
Dimensions Installed
Height: 130mm
Overall: 720mmW x 720mmD
Cut out: 660mm x 660mm
Weight: 3.25kg
Continuous Airflow: 220cm2

Hatch - 10013 Garnish 50mm - 10040

4 Seasons Evolution Roof Hatch 500 x 700mm



Tinted impact resistant acrylic skylight Inegreated LEDs are dimmable and also feature bule night light mode 700mm x 500mm



The 4 Season Evolution Roof Hatch is not only the most versatile and easy to use hatch but now has improved design, LED lights and roller blind.

These features take the practical hatch into a modern andstylish caravan feature. Same great four seasons functionality, each flap hs 3 positions - closed, rain mode, fully open. The roller blind has multiple open positions (30%, 60%, 100%).

4 Seasons Evolution Roof Hatch 500 x 700mm - 10014

New 4 Seasons Hatch Flyscreen



Fiamma Roof Hatch 14" x 14"



A 14" x 14" roof hatch that is easily installed and equipped with a permanent insect screen.
Features a semi-rigid fixing flange. The lid is reinforced and independently vented so that air movement is guaranteed even whilst closed, providing 90 sq cm of ventilation.

Fiamma Roof Hatch - 10067



For new style 4 seasons hatch.

New 4 Seasons Hatch Flyscreen - 10048

<u>FIAMMA</u>

Fiamma Vent 50 X 50 & Roller Blind



White. Complete with roller blind. Opens on all four sides with practical handles. Assures permanent ventilation. Locking anti-theft device on the handles. Rainproof and windproof.



Fiamma Vent 50 X 50 & Roller Blind - 10072



New 4 Seasons Hatch Opening

New 4 Seasons Hatch Opening - 10049



Fiamma Hatch - Vent 28

White lid. 280mm x 280mm white hatch without fan. Ideal for airing small spaces. Made in superior quality impact and UV-resistant materials. Supplied with permanent air flow ventilation system and flyscreen.

Fiamma Hatch - Vent 28 - 10075



New 4 Seasons Hatch Winder

New 4 Seasons Hatch Winder - 10050









Fiamma Turbo-Vent Kit -Suit Vent 28 F

This optional kit combined with the standard Fiamma Vent 28 will allow for the same a 12v circulation fan.

12 Volt fan only, you will require the Fiamma Vent 28F also to complete the product.

Fiamma Turbo Vent Kit - 10078

Fiamma Turbo Vent P3

Fiamma Turbo Vent P3 Ventilation System.Turbo vent that allows you to save up to 50% electricity thanks to a new electronic circuit. Turbo-Vent is silent at high speed and exceptionally silent at the minimum.

Installs in 380mm - 400mm openings.

Fiamma Turbo Vent P3 - 10079



^> DOMETIC

Dust Reduction System -DRS285



With a rooftop ventilation system like the Dometic **Dust Reduction System,** you can significantly reduce the amount of dust in your caravan, breathe fresher air and reduce the cleaning time after caravan trips.

Dust Reduction System - 10090

Midi Heki Skylight Crank >> DOMETIC with LED Lighting & White



This new Dometic Midi Heki Roof Hatch with LED comes with a white edged double acrylic glazed dome, along with separately adjustable darkening and fly screens. Its large 700 x 500 mm opening lets you enjoy the natural light and enjoy the fresh air whilst taking in everything that mobile living has to offer. **Dimensions:**

> **Internal Frame Dimensions:** 785mm x 575mm

Suits: 700mm x 500mm roof opening

Crank handle model.

Fixed permanent ventilation: 150cm2

Dometic Midi Skylight - 10100C

♦► DOMETIC Midi Heki Skylight Push Bar with LED Lighting & White

Edge Dome



This new Dometic Midi Heki light comes with a white edged double acrylic glazed dome, along with separately adjustable darkening and fly screens. Its large 700 x 500 mm opening lets you enjoy the natural light and enjoy the fresh air whilst taking in everything that mobile living has to offer.

Open and close the dome via push-up bar



Midi LED Skylight Push Bar - 10100E

> DOMETIC



Dometic Mini Heki Plus - Skylight This compact

Dometic Mini Heki Plus roof light with forced ventilation fits neatly into a standard 400 x 400 mm roof aperture and lets plenty of light into the interior. Using a handle, it's easy to open to one of three positions: fully open, half-open, and a bad weather position in which water is prevented from penetrating. Separately adjustable darkening and fly screens give you full control. Suitable for roofs 25-60 mm thick.

25mm - 42mm - 10110

> DOMETIC

Dometic Skylight - Heki 2



Dimensions product depth: 790 mm Dimensions product width: 1080 mm le material thickness 1 min: 25 mm Possible material thickness 1 max: 60 mm

Ventilation opening: 115.00 cm2 Cut out height: 655.00 mm Cut out width: 960.00 mm

Weight (kg) 11kg

Dometic Skylight - Heki 2 - 10115

7350 Fantastic Vent withThermostat and RainSensor





AK5000 Manual 14" x 14" Hatch

Power - 18W
Current - 1.6A
Voltage - 12V
RPM - 1200/M
Lid Colour - Smoke
Lid Opening - Manual
Air Flow - Reversible
Size - 14" x 14"
Remote - No
Rain Sensor - No

AF5000 Manual Hatch - 10114M

OZYENT

AK6000 Automatic 14" x 14" Hatch

Power - 18W
Current - 1.6A
Voltage - 12V
RPM - 1200/M
Lid Colour - Smoke
Lid Opening - Electric
Air Flow - Reversible
Size - 14" x 14"
Remote - Yes
Rain Sensor - Yes

AK6000 Automatic Hatch - 10114A











12V Shower Hatch with LED lights comes with 12V exhaust fan with two way switch, removable flyscreen and surrounded LED light. Available in White

Specifications:

Cut out dimensions: 320 x 320mm Installation dimensions: 400 x 400mm Weight: 2.9kg Roof thickness: 25-65mm Fits 14 x 14" hatch cut outs Power Draw - 2.5AMPS when fan is running

12V Shower Hatch with LED Lights - 10113

Fantastic Vent 3350. The fan will shut off when pre-selected temperature is reached, but dome stays open for ventilation until the down feature is selected or the Built- in rain sensor automatically closes the dome. Fits standard 355mm x 355mm opening for easy installation.

7350 - 10116

3350 Fantastic Vent with Thermostat

Fantastic 12V Roof Vent. Fantastic Fan or Fantastic Vent with a built in thermostat keeps your Caravan or Motorhome in the comfort zone - even while you're away! A powerful 300mm x 10 blade rotary fan pulls air through open doors and windows for maximum air flow and efficiency. Fits standard 355mm x 355mm opening for easy installation

3350 - 10117

Fantastic Vent Replacement Lid





Fantastic Vent Replacement Lid - 10119

12V Shower Hatch with Fan & LED Lights Small



12V Shower Hatch with LED lights comes with 12V exhaust fan with two way switch, removable flyscreen and surrounded LED light.

Available in White Cut out dimensions: 280x 280mm

12V Shower Hatch with LED Lights Small - 10113S



Small 100X75MM Vent Grill White Small 100X75MM Vent Grill Black Med 233X148MM Vent Grill White Med 233X148MM Vent Grill Black Large 293X148MM Vent Grill White Large 293X148MM Vent Grill Black

Plastic Rose Vent



Plastic adjustable opening vent. Often used for cross flow ventilation on horse-floats. Overall fixing flange diameter is 150mm.

Plastic Rose Vent - 10120

Aluminium Rose Vent



Aluminium Ventilator With Slotted Apertures To Allow Adjustable Airflow. Overall Fixing Flange Diameter Is 150mm.

Aluminium Rose Vent - 10123

Large Roof Cowl



204mm spun aluminium cowl. Hole size: 165mm. Flange size : 240mm. Large Roof Cowl - 10127



2 springs. 240mm x 145mm.

Black - 10154 White - 10135 50mm White Insert -10137/50 50mm Insert Black - 10154/50

Metal Rotary Vent



Metal spinning vent. 235mm. **Metal Rotary Vent - 10133**



Plastic Rotary Vent



Plastic spinning vent. 235mm.

Plastic Rotary Vent - 10146

Small Scupper Vent





Black - 10145 White - 10147 50mm White Insert - 10149/50 50mm Insert Black 10145/50

Medium Roof Cowl



153mm spun aluminium cowl suits an aperture of 125mm. Flange diameter is 190mm.

Medium Roof Cowl - 10138

Roof Cowl Inserts



To suit large, medium and small aluminium roof cowls.

> Small - 10140 Medium/Large - 10141

Small Roof Cowl



102mm spun aluminium exhaust cowl suits an aperture of 75mm.

Small Roof Cowl - 10150



Teardrop shaped plastic vent. Venturi technique extracts air even while RV is stationary. 285mm x 185mm.

Muller Vent - 10152

◇ DOMETIC

GY 11



This 2-stage fan effectively exchanges stale air and works extremely efficient even when the fan is not

GY 11 - 10159

Cupboard Stay



Spring pressure supports the flap when raised and holds it firmly against cabinet when closed. 130mm. Chrome also available in 250mm.

> Gold - 10166 **Bronze - 10167 Chrome - 10168** Chrome 250mm -10169

1222 Cupboard Catch



Spring loaded surface catch for use with 10mm doors. (2 part). **Brown**

1222 Cupboard Catch - 10237

Viscount Millard Cupboard Catch

10mm. Strong plastic spring-loaded catches used in many early model caravans. (2 part). Available in Dark Brown, Light Brown and Tan. Distance from rear screw hole to front pair of

Horizontal Gripper Catch



A very strong nylon gripper catch for cupboard doors and drawers. Pkts of 10.

> Complete Catch - 10170 Female Section - 10172

Vertical Gripper Catch



A very strong nylon gripper catch for cupboard doors and drawers. Vertical striker. Pkts of 10

> Complete catch - 10176 Female section - 10172

Millard Cupboard Catch



Spring loaded catch for use in earlier model caravans (2 part). Brown

1126 Cupboard Catch - 10240

Rosettes And Knobs

Dark Brown - 10218

Light Brown - 10219

Tan - 10220



PLEASE NOTE: Size refers to the cupboard wood thickness, not the physical size of the rosette. Both mini and Large suit 16 - 19 mm thickness

Sold Seperatly

BACK CATCHES Large nickel - 10390

Mini nickel - 10393

ROSETTES

Mini rosette -Nickle - 10364

Large rosette - Nickle - 10374

KNOBS

Large - Nickle - 10348 Mini - Nickle - 10356

Flat Top Push Button



Push button, for push lock locks nickel-plated matt, plastic. For door thickness 13 - 19 mm

Flat Top Push Button - 10349

Camper Trailer 3-Stage



3 Stage - 10283



Heavy duty camper clamp. Available in silver, black and white.

Black - 10319 White - 10320 Silver - 10322

Swing Bolts



Adjustable locking bolts with a variety of applications includes wedge plate.

38mm - 10425 50mm - 10427

Aluminium Curtain Track



Available in 5 metre lengths, aluminium with pre drilled holes. (Runners not included)

Aluminium Curtain Track - 10432

Flat Curtain Track Runners



Available in packs of 10

Flat runners to suit - 10434

Drop Nose Pin



An ingenious yet simple locking device that serves many applications - securing the raiser arm, securing the roof clamp, etc

Drop Nose Pin - 10331

Roller Catch



A positive action roller catch featuring zinc plated metal components and nylon rollers.

Roller Catch - 10440

Cabin Hooks



Cabin hooks sold with eye

75mm Chrome - 10450 100mm Chrome - 10452 150mm Chrome - 10454 200mm Chrome - 10456 Eye only - 10458

Nylon Curtain Gathering Hook



Available in packs of 10

Nylon Curtain Gathering hooks - 10460

Stainless Steel Towel Rail



19mm - 5metre length - 10470

Flanges



Chrome plated

3/4" for 19mm rail - 10480

Pillar Center Rail



3/4" for 19mm rail - 10490

Pillar Ends



Chrome plated

3/4" for 19mm rail - 10500 Rubber Bonnet Clamps



Replacement stretch clamps used to secure the pop top roofs of some early model mini motor homes. Pair.

Rubber Bonnet Clamps - 10540

V.I.P. Vinyl Repair Kit



29.3ml tube. Fuses together without heat or patch. Easy to use just apply and let dry. Forms a nearly invisible repair.

V.I.P. Vinyl Repair Kit - 0588

Grab Handles



Heavy duty

Chrome plated 100mm - 10552 Chrome plated 152mm - 10554

VECAM Grab Handles



Grey - 10582 White - 10584



Utility Door Hatch No 5



UV and impact resistant Resistant to road salts and acids **Paintable** Dimensions: Cut Out Dim. 6-7/8" x 6-3/8" Outside Dim. 8-1/2" x 8"

Utility Door Hatch No 5 - 10586

Utility Door Hatch



UV and impact resistant Resistant to road salts and acids **Paintable Dimensions:** Cut Out Dim. 4-3/4" x 5-7/8" Outside Dim. 6-1/2" x 7-5/8"

Utility Door Hatch No 6 - 10587

Utility/Pole Storage Access Hatch



Stores awning poles or slide out brace poles Great access hatch to pass cords or water hoses through compartments or sidewalls UV and impact resistant Cutout Dim: 3-27/32" dia. Outside Dim: 5-15/16" dia.

Utility/Pole Storage Access Hatch - 10588

250mm Knurled **Entry Safety Grab** Handle



Knurled handle grip section 304 stainless steel 250mm long tube centre to tube centre 32mm tube diameter 1.1mm wall thickness

250mm Stainless Steel Knurled Entry Safety Grab Handle Stainless Steel -10600

250mm Stainless Steel Knurled Entry Safety Grab Handle Black -10601

300mm Knurled **Entry Safety Grab** Handle



300mm Stainless Steel Knurled Entry Safety Grab Handle Stainless Steel -10602 **300mm Stainless Steel Knurled Entry Safety Grab** Handle Black -10603

Flush Louvre Nylon Vent

Vent 90mmFlush UV stabilised nylon louvre vents in both black These flush mounting vents are suitable for lockers, doors, cupboards Etc. Size: 86mm x 86mm.

Black - 10589B White - 10589W

Baggage Door Catch





Available in black and white. Quantity - 2

Baggage Door Catch White - 10580B Baggage Door Catch Black - 10581B



Window Stay

Mainly used in older caravans. Available in two sizes:

Large - 10590 Small - 10592



Black - 10596 White - 10597

Springs For Tubular Canopy Lifter



Springs For Flat Canopy Lifters



To suit 700mm lifter - 10715 To suit 900mm lifter - 10717 To suit 1200mm lifter - 10719

Flat Canopy Lifters

Spring Tension:
Standard
Maximum lift: 560mm
Width: 700mm
Max weight: 40kg
Note: When replacing
lifter it is recommended that the opposite
lifter be replaced at the same time to
prevent undue stress

700mm - (500mm lift) - 10650 900mm - (700mm lift) - 10652 1200mm - (1000mm lift) - 10654

Tubular Canopy Lifter

Spring loaded steel canopy lifters used to raise roof on pop top caravans and campervans. Spring Tension: Standard Maximum lift: 685mm

Width: 900mm Max weight: 40kg

Note: When replacing lifter it is recommended that the opposite lifter be replaced at the same time to prevent undue stress

Tubular Canopy Lifter -10700

Pop Top Tensioners

Poptop plastic tensioner 390mm inserts into Poptop skirt to ensure that the skirt folds inwards when you drop your roof



320mm - 10710 390mm - 10712

Elastic Straps For Canvas Sleeve Tensioner



168mm 10724 210mm - 10726

POP TOP HARDWARE

Roller & Rivet For Tubular Canopy Lifter



Roller - 10735 Rivet - 10737

120N Gas Strut



120N Gas Strut - 10748 Gas Struts



Complete with Ball Studs

Small

100N - 325mm - 10750 150N - 325mm - 10752 200N - 325mm - 10754 250N - 325mm - 10756

300N -325mm - 10758 350N - 325mm - 10760

400N - 325mm - 10762 500N -325mm - 10764

600N - 325mm - 10766

Medium

150N - 525mm - 10772

200N - 525mm - 10774 250N - 525mm - 10776

300N -525mm - 10778 350N - 525mm - 10780

400N - 525mm - 10782 450N - 525mm - 10783

500N -525mm - 10784

600N - 525mm - 10786

Large

240N - 830mm: 10790 300N -830mm: 10792 435N - 830mm - 10794 500N - 830mm: 10796 600N - 830mm: 10798

800N - 830mm: - 10800 900N - 830mm: 10802



Suits 10mm Ball Socket

Outside - 10824 Flat - 10826

Bunjee Loops 4 Pack





Bunji Loops or "Bunjee loops" are made with a UV Stabilized polyester sheath and multiple inner rubber cords, these versatile Bunji Loops from Paskal can be used to secure everything from boat covers, canvas canopies, tonneau covers and more. Includes 4 Bunjee Lo0ps and 4 Knobs.



150mm - 10727 150mm - 10728 170mm - 10729

170mm - 10729 190mm - 10730 210mm - 10731

Button Only - 10732

Standard Table Base



Aluminium standard base. Overall Diameter: 167mm Table leg hole: 55mm Base base has 6 screw holes

Standard - 10835 Squeeze Type Table Le



Pivots horizontally under table top. Available in two sizes:705mm and 775mm High

> 705mm - 10851 775mm - 10852

Table Leg - Bi-fold 675mm



Aluminium leg. Adjusts to both table and bed height. The table top can be lifted from the wall bracket and positioned elsewhere on the caravan, even outdoors. Can also serve as a bed base. Bifold height 315m Height: 675mm

Table Leg - Bi-fold 675mm - 10859

Table Leg Folding



Folding Table Leg - 10865

Table Leg Tube Dinette



Table Slide Rail Kit



Suits bi-fold and folding table legs. Set of 2 brackets, 950mm alloy track and 2 end plugs.

Table Slide Kit - 10886



Chrome Table Leg



Chrome plated. 56mm diameter 700mm long

Chrome Table Leg - 10830
Recessed
Table Base



Aluminium Recessed base Hole depth 5cm Hole diameter 5.7Cm Base diameter 15cm. Recessed - 10832

Swingaway Table Bracket Long & Short

Suits most table leg poles that measure approx. 45mm outside diameter.

 These allow an existing table to swing out of the way, by offsetting the table top from the centre pole Short 205mm X 80mm X 100mm Long 260mm X 80mm X 100mm

> Short - 10889 Long - 10890

Wineglass Table Leg - 8WGA



Centre tube removes to make bed or base can be detached from floor to use outside. Available in Cream and Grey Angle iron split top.

Height:685mm, Base: 430mm, tube 38mm

Wineglass Table Leg 8WGA Hammertone - 10896H

Wineglass Table Leg with Offset Tube - 8SWWG



Centre tube can swing around to make dining access easier.

Height: 685mm, base: 430mm, bent tube 38mm. Top Plate 300mm x 170mm

Wineglass Table Leg 8SWWG Hammertone - 10898

Telescopic 12V Table Leg



Tubular Island Table Leg - 8-ISL

Tapered recessed base provides a firm fit and steady support for chrome tube. Tube can be removed to leave clear floor space.

Height: 680mm, Top plate 200mm x 200mm, 45mm tube

Tubular Island Table Leg 8ISL- 10900

Swing Away Table Leg - 8SW



Swing away table leg, comes complete with base & top.
Product Description
Has been designed to swing table out of the way when not being used to give more space. Has a sturdy connection with a chrome finish.

Swing away table leg, comes complete with base, middle bracket and top plate. 38mm chrome tube. Height: 730mm, Offset: 220mm, 38mm chrome tube

Swing Away Table Leg 8SW - 10904

With Remote Control. This table leg is designed to be bolted to the floor of your RV and attach a table top (not supplied) to the top bracket. Simply use the remote control supplied to adjust the table height between 370mm

VOLTAGE 12V DC
OPERATING VOLTAGE 1.5-5A
MATERIAL Aluminium alloy/
high strength plastic
TABLE SIZE 670mm x 490mm
RATED OPERATONG LOAD
40KG
STATIC LOAD BEARING
100KG
WEIGHT 13KG

Telescopic 12V Table Leg - 10919

Tubular Table Leg

457mm Chrome Tubular Table Leg.



Tubular Table Leg - 10918

Easy Lift Gas Strut Type
Table Leg with
Adjustable Plate
5-EL



(Gas Lift Adjustment).
Telescopic table leg. The grey plate is put at your desired bed height, with some of the grey tubing protruding through the floor. The locking knob releases the gas strut to raise the table 375mm, however the table height can be stopped at any position in the 375mm range.

Telescopic Gas Strut Type Table Leg - 10924

Nuova Mapa Adjustable Telescopic Table Leg



TELESCOPIC TABLE LEG WITH TURNTABLE & SLIDE SYSTEM

It features a spring loaded leg which allows it to be lowered by simply pressing on the foot pump at the base and pushing down on the table top, while raising the table top is even simpler, just press the foot pump again and the gas struts will do all the work. The table top bracket and sliding mecahnism is made from lightweight aluminium, with the ability to swivel up to 180o, as well as in a N, S, E or W direction by lifting a lever.

SPECIFICATIONS

Made from: Galvanised Steel

Maximum height (from floor to underside of table): 710mm

Lowest height: 330mm

Table top bracket measurements: 700mm x 440mm

(min table dimensions)
Leg base diameter: 260mm

NOTE: table top and mounting screws are not included

Nuova Mapa Table Leg - 10920

Ace Key Cam Locks



High security baggage door lock. Round alarm style key greatly improved the security of your baggage door compartments. Chrome plated with round face.
Two keys per lock.

5/8" - 10926 7/8" - 10928 1 1/8" - 10930

One Key Fits All





The ONE KEY Solution for ALL your locks. Caravan and RV vehicles are equipped with a variety of doors, hatches, vents and outlets that are fitted with different keys to unlock each one. There is now have a solution that allows you to upgrade each of these locks so you need only one key to unlock all of them.

One Key Fits All 2 Barrel - 10927 One Key Fits All 4 Barrel - 10929 One Key Fits All 6 Barrel - 10931 One Key Fits All 8 Barrel - 10932 LED Picnic Table







Crafted with durability in mind, it features stainless steel hinges and a double-lock design, ensuring stability and longevity. The table's high-temperature-resistant base further enhances its durability, making it suitable for various outdoor environments.

Overall Dimensions: 800mm x 450mm x 25mm,

Table Dimensions: 715mm x 3655mm

With a robust weight capacity of 30kg, this LED Folding Picnic Table is perfect for accommodating your food, drinks, and outdoor enjoyment.

LED Picnic Table White - 10955W LED Picnic Table Black - 10955B