

## Section 5

# 12V Lighting & Accessories

Interior 12V Lights  
Exterior 12V Lights  
12V Replacement Globes  
Trailer Lights  
Battery Testers  
12V Heaters  
12V Fans  
Battery Terminals  
Switch Panels  
12V Switches  
Circuit Breakers  
12V Wire  
Anderson Plugs  
Car USB/Accessory Sockets  
Trailer Plugs



**12V 30 LED Turnstripe**



200m/amps

Easy mounting, 12v LED, 180° turnable glass lens, aluminium body, plastic end covers. Ideal for caravans, tents or boats.

30 LED Turnstripe - 2560

**12V 36 LED Bar Light**



655mm W X 32mm H

Extremely bright waterproof light. Can be used for interior and exterior use.

36 LED Bar Light - 2561

**12V 12 LED Bar Light**



255mm W X 30mm H

12 LED Bar Light - 2562

**12V 9 LED Turnstripe**



Easy mounting, 12v LED, 180° turnable glass lens, aluminium body, plastic end covers. Ideal for caravans, tents or boats.

9 LED Turnstripe - 2574

**12V Euro Double LED Interior Light**



Built-in 48pcs SMD 2835 LEDs, provides total 5x 720 lumens of brightness. 4000-4500K warm white light, 280mmW x 110mmH

Euro Double Interior Light - 2568

**12V LED Annexe Light & Switch**



1x Clear Lens LED Light  
150L x 90W x 45D mm

1 amp draw  
Available in black or white

White -2605  
Black - 2605B

**NARVA 12V LED Annexe Light With Switch**



Part No. 86830LED  
Current Draw 0.2A at 12V  
Size 148 x 87 x 64mm

12V LED Annexe Light With Switch - 2606

**12V 10 Inch 16W Round LED Light - White**



white round LED light with switch  
12w  
25cm  
16 Watt

10 Inch 16W Round LED Light - White - 2609  
Lens - 2612

**12V LED Reading Light with USB Port**



Super bright LED reading light with built in USB port.

12V LED Reading Light with USB Port - 2629

**NARVA** 12V 10-30 Volt LED Chrome Reading Light Dimming with Switch 6000K



Narva Part No. 87462  
 Input Voltage Range 10-30V  
 Current Draw 0.12A at 12V,  
 0.08A at 24V  
 LEDs 3W L.E.D

10-30 LED Chrome Reading Light 6000K - 2640

**NARVA** 12V 10-30 Volt LED Chrome Reading Light Dimming with Switch 6000K



Narva Part No. 87464  
 Input Voltage Range 10-30V  
 Current Draw 0.14A at 12V,  
 0.09A at 24V  
 LEDs 1W L.E.D

10-30 LED Chrome Reading Light 6000K - 2641

**NARVA** 12V 10-30 LED Chrome Reading Light 3200K



Narva Part No. 87466  
 Input Voltage Range 10-30V  
 Current Draw 0.13A at 12V,  
 0.09A at 24V  
 LEDs 1W L.E.D

10-30 LED Chrome Reading Light 3200K - 2642

**NARVA** 12V 10-30 LED Reading Light 6000K



Narva Part No. 87468  
 Input Voltage Range 10-30V  
 Current Draw 0.26A at 12V,  
 0.15A at 24V  
 LEDs 3W L.E.D

10-30 LED Reading Light 6000K - 2643

**NARVA** 12V 10-30 LED Chrome Reading Light 3200K



Narva Part No. 87470  
 Input Voltage Range 10-30V  
 Current Draw 0.26A at 12V,  
 0.65A at 24V  
 LEDs 3W L.E.D

10-30 LED Reading Light 3200K - 2644

**NARVA** 12V 10-30 Volt Chrome Bezel Interior Lamp With Touch Sensitive On/Dim/Off Switch



Narva Part No. 87474  
 Features a powerful 3 watt L.E.D with warm white light output (3200K) and touch sensitive switch with dimmer function. Highly polished chrome finish with concealed

10-30 LED Chrome Bezel Reading Light 3200K - 2645

12V LED Awning Light



12v LED Awning Light Chrome - 2760  
 12v LED Awning Light White - 2761  
 12v LED Awning Light Black - 2762

12V LED Awning Light (New Style)



12v LED Awning Light New Style Black - 2763  
 12v LED Awning Light New Style - Chrome - 2764

Bargman Light Replacement Lens



Spare Lens to suit Bargman Porch Light 53mm x 105mm  
 Bargman Light Replacement Lens - 2715

**12V LED Door Handle**



Zinc alloy die casted stanchions with chrome plated. Clear acrylic handles. Length 510mm LED's at each end light up this handle in a very elegant way.  
100m/amps

LED Door Handle - 2769

**12V LED Door Handle with Switch**




CHROME  
12 VOLT  
Dual blue L  
D lights (1 either end of the handle) with bubble effect.  
Overall – 500mm  
LED Handle section – 275mm long  
Zinc Alloy  
Switch (on the handle itself)

LED Door Handle With Switch - 2770




**12V LED Slim Awning Lamp**



Part No. 87790  
Current Draw 0.5A at 12V  
12V LED Slim Awning Lamp - 2771



**12V LED Slim Awning Lamp with Sensor**



Part No. 87792  
Current Draw 0.5A at 12V  
12V LED Slim Awning Lamp - 2771S



**12V LED Awning Light Small**



Part No. 87780  
Input Voltage Range 9–33 Volt  
Current Draw 0.16A at 12V, 0.08A at 24V

Awning Light Small - 2772



**12V LED Awning Light Large**



Part No. 87786  
Input Voltage Range 9–33 Volt  
Current Draw 0.26A at 12V, 0.13A at 24V

Awning Light Large - 2773



**12V LED Awning Light Large with PIR Sensor**



Part No. 87788  
Input Voltage Range 9–33 Volt  
Current Draw 0.26A at 12V  
Awning Light Large with Sensor - 2774

**12V Jasper LED Mini Reading Light**



6 LED'S  
Swivel base  
Attractive design  
Comes with switch  
Cool White Light  
Silver/Grey  
Draws only 150m/amps  
Base: 80mm x 42mm  
Height: adjustable up to 110mm  
Japer Mini Reading Light - 2775

**12V LED Mini Reading Light**



Low energy consumption of 2 Watts, Light weight and Easy to set up, fixed with 2 x screws (provided).  
Material: Aluminium body & Metal base  
Voltage: 12 Volt  
Working Power: 2W  
Light Colour: Warm White  
Product Size: 7 x 5cm

12V LED Mini Reading Light - 2777

**12V LED Reading Light Black**



**12V LED Reading Light Black - 2790**  
**12V LED Reading Light with USB Black**



**12V LED Reading Light with USB Black - 2791**

**12V LED Reading Light Chrome**



**12V LED Reading Light Chrome - 2792**

**12V LED Reading Light Chrome**



**12V LED Reading Light Chrome - 2793**

**12V LED Reading Light Chrome**



**12V LED Reading Light Chrome - 2794**  
**12V LED Reading Light Chrome with USB**



**12V LED Reading Light Chrome with USB - 2794**

**12V LED Replacement Tube**



**285mm long with 30 super bright LED's 200m/amps**

**LED Replacement Tube - 2813**

**12V Ruby - 48 LED Awning Light**



**Large 48 LED super bright awning light. Waterproof, 200ma power draw. 325mm x 100mm x 50mm 200mA**

**Ruby 48 LED Awning Light - 2816**

**12V LED Dome Light**



**The lamp features 21 super bright LEDs  
 Inbuilt 3 way switch  
 Night light feature  
 All wiring is tinned to reduce the chance of corrosion  
 Very low power consumption of less than 0.10amp  
 Width: 150mm  
 Height: 35mm**

**LED Dome Light - 2819**


**20 LED Mini Saw Rail**



**350mm Long, 20 LED Turnstripe  
 A very popular LED for over stoves and sinks.  
 200m/amps**

**20 LED Mini Saw Rail - 2826**


**12V Dual LED Awning Light  
Amber/White  
(NO SWITCH) Black**



**12V~28V  
Dual Lights - Amber and White  
LED:12\*1W white LED  
12\*0.5W amber LED  
8 W 800 lumen  
IP67 WATERPROOF**

**287mm Dual LED Light 12V Awning  
LightAmber/White  
Lights Black IP67 (NO SWITCH) - 2828**


**12V Dual LED Awning Light  
Amber/White  
(NO SWITCH) White**



**12V~28V  
Dual Lights - Amber and White  
LED:12\*1W white LED  
12\*0.5W amber LED  
8 W 800 lumen  
IP67 WATERPROOF**

**287mm Dual LED Light 12V Awning  
LightAmber/White  
Lights White IP67 (NO SWITCH) - 2829**


**12V Dual LED Awning Light  
Amber/White  
(WITH SWITCH) Black**



**12V~28V  
Dual Lights - Amber and White  
LED:12\*1W white LED  
12\*0.5W amber LED  
8 W 800 lumen  
IP67 WATERPROOF**

**287mm Dual LED Light 12V Awning  
LightAmber/White  
Lights Black IP67 (WITH SWITCH) - 2831**

**12V Dual LED Awning Light  
Amber/White  
(WITH SWITCH) WHITE**



**12V~28V  
Dual Lights - Amber and White  
LED:12\*1W white LED  
12\*0.5W amber LED  
8 W 800 lumen  
IP67 WATERPROOF**

**287mm Dual LED Light 12V Awning  
LightAmber/White  
Lights White IP67 (WITH SWITCH) - 2832**

**12V 500mm Dual LED  
Awning Light  
Amber/ White (NO SWITCH)**



**500mm Exterior Awning Light without  
SWITCH 12V~28V Dual Lights – Amber  
and White LED:36\*1W white LED 36\*0.5W  
amber LED 15W 2400 lumen Abs housing  
PC Lens IP67 WATERPROOF (IP67 means  
the unit can be dropped into a body of  
water up to a meter deep for half an hour)  
Measures 500x60x32mm. Available in  
Black and White**

**500mm Dual LED Light  
12v Awning Light Amber White  
Black - 2833**

**500mm Dual LED Light  
12v Awning Light Amber White  
White - 2834**

**12V 500mm Dual LED  
Awning Light  
Amber/ White  
(WITH SWITCH)**



**500mm Exterior Awning Light with  
SWITCH BLACK 12V~28V Dual Lights –  
Amber and White LED:36\*1W white LED  
36\*0.5W amber LED 15W 2400 lumen ABS  
housing PC Lens IP67 Waterproof (IP67  
means the unit can be dropped into a  
body of water up to a meter deep for half  
an hour) Measures 500x60x32mm.Avail-  
able in Black and White**

**500mm Dual Led Light 12v AwningLight  
Amber/White Lights (WITH SWITCH)  
Black - 2836**

**500mm Dual Led Light 12v AwningLight  
Amber/White Lights (WITH SWITCH)  
White - 2837**

## 12V 500mm Dual LED Awning Light Amber/ White (NO SWITCH)



230mm L x 40mm D

231mm LED Awning Light Black - 2837  
231mm LED Awning Light White - 2838

## 12V 500mm Dual LED Awning Light Amber/ White (NO SWITCH)



### AVAILABLE IN BLACK & WHITE

Virtually unbreakable polycarbonate lens  
Surface mountable , includes a stylish one piece housing with snap in covers to hide the mounting screws  
High Output LED's  
Polycarbonate lens  
12 & 24 volt voltage  
18 LED's  
Surface Mount with 45° angle  
IP67 Rated  
Low current draw  
Dimensions 480mm long , 40mm at the widest point , 21 mm at the deepest point ( see picture )

2 fixing screw holes approx 28mm from each end with the lamp fitted, holes 426mm apart centre to centre  
400mm of wiring exits out the centre rear of light

480mm LED Awning Light Black - 2839  
480mm LED Awning Light White - 2840

## 12V LED Map Light Surface Mount



12 LED super bright map light with a flexible and adjustable arm is designed for providing illumination in vehicles and is powered by a 12-volt electrical system.

12 LED's  
With on/off rocker switch  
Adjustable arm can be moved to any position  
Flexible arm is 30cm long with mounting base  
Head is 8cm x 4.5cm x 2cm deep  
Hard Wired

12 Volt LED Map Light - 2842

## 12 Volt LED Map Light Plug In




Whether you're embarking on a night drive, navigating unfamiliar terrain, or simply need extra light while on the road, our 12 Super Bright LED Map Lamp is the dependable choice.

12 Super bright LEDs  
Mini on/off rocker switch  
Adjustable arm can be moved to any position  
Flexible arm/tube 325mm  
Cigarette lighter plug  
Head is L:8cm x W:4.5cm xD: 2cm

12 Volt LED Map Light - 2843

## LED Cupboard Light



Discover convenience and innovation with our 100% Brand New and High-Quality Cabinet Light. This versatile lighting solution is designed to enhance your everyday life with its intelligent features and easy installation.

Wattage: 0.18w  
Functions: Auto Switch In Cabinet On / Off, Sensor Light  
Materials: Durable Abs  
Light Color: Crisp White  
Color: Sleek Gray  
Power Source: Powered By A 12v 23a Battery  
Light Source: Energy-Efficient Led  
Installation: This Cabinet Light Is Ingeniously Designed To Be Effortlessly Mounted On The Cabinet Hinge, Making Installation A Breeze.

LED Cupboard Light - 2844

**NARVA**

**12V Flush Mounted Side Lamp**



85880 Red/Amber lens.  
70mm x 43mm x 33mm

Flush Mounted Side Lamp - 2850

**12V LED Clearance Lamp**



Suitable for 12V use only  
Features 3 amber and 2 red LEDs  
Dimensions: 110mm x 60mm x 33mm  
50,000 hours rated life  
Pre-wired  
Plastic base with rubber sealing  
Stainless steel mounting screws and nuts included

LED Clearance Lamp - 2851

**NARVA**

**12V Side Marker Lamp**



NARVA: 85770 Red/Amber Lens  
Complete with steel guard.  
140mm x 71mm x 36mm

Side Marker Lamp - 2852

**NARVA**

**12V Stop/Tail Indicator Lamp**



NARVA: 86470BL  
12V rear stop/tail,  
direction indicator  
lamp with licence  
plate option & in-  
built retro reflector

Stop/Tail/Indicator Lamp - 2853

**NARVA**

**12V Clearance Lamp**



NARVA: 85760 Red/amber lens  
125mm x 65mm x 30mm

Flush Mounted Side Marker Lamp - 2854  
Replacement Lens - 2856

**NARVA**

**12V LED Slimline Trailer Lamp with 0.5m Cable**



NARVA: 93430BL With In-Built Retro Reflector  
Current draw: Indicator: 0.1A at 12V, Stop: 0.1A at 12V, Tail: 0.01A at 12V

12 Volt LED Slimline Trailer Lamp - 2857

**NARVA**

**12V LED Trailer Lamp Kit**



NARVA: 93630BL2  
12V LED slimline rear stop/tail, direction indicator  
With in-built retro reflector  
0.5m hard-wired tinned cable & stainless steel fittings

LED Trailer Lamp Kit - 2858

**NARVA**

**12V LED Trailer Lamp Kit**




NARVA: 93812BL 2  
x 10-30 Volt L.E.D  
Slimline Rear Stop/  
Tail and Direction  
Indicator Lamps with  
0.5m Hard-Wired  
Cable and Black  
Bases  
Current draw:  
Tail: 0.02A at 10-30V  
Stop: 0.08A at 10-30V  
Indicator: 0.08A at  
10-30V

LED Trailer Lamp Kit - 2859

**NARVA**

**12V 9-33 Volt Model 48 LED Rear Direction Indicator And Stop/Tail Lamp**




NARVA: 94840 LED Direction indicator. A stop tail assembly with inbuilt retro reflector.  
400 mm L x 131mm W x 46mm D

Double Combination - 2865

**NARVA**

**12V 9-33 VOLT 48 LED Rear Direction Indicator And Twin Stop/Tail Lamp**



NARVA: 94850 Stop/Tail, Direction Indicator with In-built Retro Reflector

Triple Combination - 2866

**NARVA**

**12V Side Marker Replacement Lens**



Lens to suit NARVA 85700 85710  
Side Marker Replacement Lens - 2868



**NARVA** 12V Flush Side Mounted Marker Lamp



NARVA 85750 Red amber lens  
130mm x 60mm x 40mm

Flush Mounted Side Marker Lamp - 2870


**12V Combination LED Trailer Lamp**



Features 13 stop/tail, 10 indicator and 1 licence plate LEDs  
50,000 hours rated life.  
Size: 168mm x 88mm x 45mm

Combination Trailer Lamp - 2882

**12V Combination LED Trailer Lamp**



Suitable for 12V use only  
Featuring 8 indicator, 5 stop, and 3 tail LEDs  
Dimensions: 176mm x 86mm x 45mm  
Inbuilt reflex reflector  
50,000 hours rated life.

Combination LED Trailer Lamp - 2885

**NARVA** Round Screw On Reflectors



80cm Round Center fixing screw

Red - 2900  
Amber - 2902  
White - 2904

**NARVA** Small Retro Reflector



Adhesive Retro reflector. 2 Pack  
70mm x 28mm with adhesive.  
Available in clear, amber and red.

Clear - 2910  
Amber - 2911  
Red - 2912

**NARVA** Large Retro Reflector



Adhesive retro reflector. Two pack.  
94mm x 44mm with adhesive. Available in clear, amber and red.

Clear - 2925  
Amber - 2927  
Red - 2929

**12V LED Globe 2D Fluro**




The circular shape metal core PCB is backed with the same moulding as a normal 2D fluoro, so it fits into the same light socket - all you have to do is bypass the fluoro ballast and supply the lamp with 12VDC directly.

Power: 9W  
Lumens: 900  
Beam: 180°  
Dimensions: 150(Dia.)mm

12VDC LED Globe 2D -2906

**12V D2 Fluorescent Replacement LED**



Dimensions: 140mm diameter 42 super bright 5050 LED chips

D2 Fluorescent Replacement LED - 2905

**10 Watt 12v Halogen Globe**



12v 10 Watt - 3006

### G4 3W Cool White LED 12V



G4 LED  
2W  
Cool white  
DC 12V  
24 SMD

G4 3W Cool White LED 12V - 3010

### T10 LED 5W 194 168 5SMD Wedge Light Bulb 12V - WHITE



ED Power: 2.1W  
Operating Voltage: 12V DC  
Led Chip: 5PCS 5050 SMD  
Color : White  
Life Time: 30000 Hours  
Size: 2.6cm\*0.9cm(L\*D)  
Lum: 150~200LM

T10 LED 5W 194 168 5SMD Wedge Light Bulb 12V - WHITE - 3011

### Single Bayonet BA15 Replacement Globe



BA15s  
Bayonet Single contact (5C)

Single Bayonet BA15 -3033

### Double Bayonet BA15 Replacement Globe



Double Bayonet BA15 - 3034

### 41mm 3528 8-LED SMD



LED Festoon Globe -3035

### G4 4.8W Warm White T10 Car Wedge 24SMD LED Light Bulb 12V



- Voltage: DC 12V, 10 PCS T10 LED Bulbs with warm white.
- SMD Type: High Quality 2835 Diodes (super bright).
- Luminous flux: about 624 Lumens, 4.8W. Low power consumption.

G4 Wedge Globe - 3049

### LED Replacement Globe



Mr16  
Pin LED Replacement  
Globe  
12 volt MR16  
Energy Saving  
Cool White  
30000 hours

Mr16 LED Globe - 3061

### 12 Volt Globes



Double filament.  
In boxes of 10.

5watt - 3070  
10watt - 3072  
21watt - 3074



### 12 Volt Festoon Globes



Boxes of 10

21 Watt  
15mm x 41mm - 3079  
15mm x 44mm - 3080

### G4 LED Globe



The G4 LED Globe adopts a constant current circuit which makes the lamps much safer, primarily used as replacement globes for traditional G4 halogen lamps

G4 LED Globe - 3082

**12volt Battery/Alternator Monitor**



Simply plugs in to the cigarette lighter socket and give you instant alternator and battery status.

12volt Battery/Alternator Monitor - 3088

**Battery Analyzer**



Plugs conveniently into any vehicle cigarette lighter socket With LED power indicator Has 5 indication levels

Battery Analyzer - 3089

**3 Gang Switch Panel With Battery Tester Cigarette Socket**



Supplied with three 5amp fuses and one 10amp rocker switch. Fuses are illuminated.

167mm H x 116mm Wide

3 Gang Switch Panel - 3090

**Switch Panel - Horizontal**



Six fused circuits with red rocker switches that glow in the dark. 12 or 24 volt. 15A per circuit.

Switch Panel - Horizontal 3092

**Battery Condition Meter**



Wire for single or twin batteries. Suits 12 volt.

Battery Condition Meter 3095

**3 Gang Switch With Panel**



Economical switch panels. Bakelite face panel pre-wired with common supply to fuse. Screw top fuse holders and chromed brass toggle switches. 12/24 volt. Supplied with 15 amp fuses. Available in three and six gang configurations. Nameplates included 93mmH x 115mmW. Cut Out 70mm x 85mm

3 Gang Switch With Panel No 3 - 3108

**6 Gang Switch With Panel**

Economical switch panels. Bakelite face panel pre-wired with common supply to fuse. Screw top fuse holders and chromed brass toggle switches. 12/24 volt. Supplied with 15 amp fuses. Available in three and six gang configurations. Nameplates included 165mmH x 115mmW. Cut Out 145mm x 85mm



6 Gang Switch With Panel No 6 - 3110

**Switch Panel - Vertical**

Six gang vertical switch panel. Pre-wired with common supply to fuses and switch illumination. Red illuminated rocker switches. Quick inspection fuse holders. Labelled – anchor light, running lights, cabin light, bilge pump, aux one, aux two (alternative nameplates supplied). Supplied with 5 amp fuses. Suitable for 12 volt applications. 167mmH x 116mmW Cut Out 125mm x 60mm



Switch Panel Vertical - 3130

**Digital Power Meter**



Features:  
- Anderson type 50-Amp connectors  
- 75A continuous / 200A Peak  
- Up to 60VDC compatibility  
- Accurate amps, volts, watts, amp-hours, watt-hours, peak amps, minimum volts (sag), peak watts - Reads: 6V - 60V

Digital Power Meter - 3117



**Digital Volt Meter**



Narva 81135BL Displays accurate battery voltage level for quick reference. Volt meter range: 6-33V Mounting opening: 29mm

Digital Volt Meter - 3119



**Digital Amp Meter**



Narva 81136BL Multivolt (6-33V) DC L.E.D Amp Meter Easy to read L.E.D display 29mm diameter mounting opening Amp Meter range: 0.5-20Amp

Digital Amp Meter - 3120

**Ceramic 12V Heater**



150 Watts of instant heat from your 12 volt outlet. Use as a supplemental heater or on dash as window defroster. Cold and Hot Heat Settings.

Ceramic 12V Heater- 3085



**Twin 12V Fan**

Powerful Compact Twin Fan 12V. Twin Speed, Fully Adjustable, Heavy Duty plug with 1.8 metre extension cable. Size: 270mm (W) x 120mm (H) x 11mm (D)

Specifications

- Twin Fan
- Twin Speed Mode

- Fully Adjustable 360° Blade Adjustment (Horizontal & Vertical)
- Great for driver and passenger at the same time
- Noise: <50dB
- Power: 6.5W
- Plug: 2 Amp 3AG

Twin 12V Fan - 3093



**Single Oscillating 12V Fan**



Twin Speed, Fully Adjustable, Heavy Duty plug with 1.5 metre extension cable. Size: 145mm (W) x 140mm (H) x 113mm (D)

Specifications

- Oscillating
- Twin Speed Mode

- Adjusts full 360° horizontal
- Noise: <50dB
- Power: 3.5w
- Plug: 2 Amp 3AG

Single Oscillating 12V Fan - 3094



**Single Clip On 12V Fan**



When you need a cooling companion that goes the extra mile, our Fantastic 12V Directional Clip-On Fan is your answer. This exceptional fan is fully adjustable, making it the perfect addition to your caravan, car, boat, yacht, or motorhome.

Fully adjustable, Super Quiet

360 degree adjustable, 2.3m lead

Single Clip On 12vFan - 3096



**ice0 CUBE**

**AC/DC RECHARGEABLE  
EVAPORATIVE COOLER**

Input Voltage: 12v, 240v/50hz. 60hz

Power Consumption: 26w

Fan Speed: Approx. 3.5m/s

Air Flow: Approx 300m/Hr

Detachable Water Tank Capacity:

1.2liters

Battery Type: Rechargeable &

Replaceable Sealed Lead Acid Battery 6v

Battery Charging Time: 12 Hours

High Speed With Cooling Function:

Approx 2.5 Hours

Low Speed With Cooling Function:

Approx 4 Hours

Dimensions: 140mm X 300mm X

310mm

Ice 0 Cube - 3103



**Sirocco Fan II**



Innovative gimbaled design offers complete 360° airflow.  
 Sleep in comfort with four-timer settings.  
 Ultra-low power draw. Run continuously without risking battery burnout.  
 FingerSafe™ blades with open grill for unobstructed airflow.

Versatile 12/24V auto-sensing capability  
 Direct wire  
 Three speeds (1200, 1500, 1800 RPM)  
 Four auto-off timer settings (3, 6, 9, and 12 hours)  
 185 CFM on high (314 m³/hr)  
 Ultra quiet operation (54dB on high)  
 7" (178mm) FingerSafe™ blades  
 Precision cam lock  
 Stows flat 3.8" (97mm)  
 Long-life motor with low-power draw  
 Current draw on low 0.06A (24V) and 0.12A (12V)  
 Current draw on high 0.21A (24V) and 0.35A (12V)

Sirocco II Fan White - 3099W  
 Sirocco II Fan Black - 3099B



**Sirocco Elite Fan**



The Elite offers 4 speed settings and a brushless motor boasting 20,000 hours of runtime.

The Sirocco II Elite is the world's first brushless motor DC cabin fan. Its brushless design means the motor will last up to four times longer than conventional motors found in other fans – 20,000 hours. Available in white or black, it features a stainless steel grille and brushed center badge. Compact at 9mm L x 241mm W x 305mm H and weighing only 1.2kg, it's ideal for boats, caravans, and other vehicles where airflow is needed. The Sirocco II Elite from SEEKER by Caframo backed by a four-year manufacturer's warranty.

Sirocco Elite Fan White - 3099EW  
 Sirocco Elite Fan Black - 3099EB



**Bora 12V Fan**



High-efficiency blade design provides outstanding airflow. Fits in tight corners to get airflow when you need it most. Easy access on/off button positioned at center. Powerful airflow in a compact design.



130 CFM on high (220 m³/hr)  
 Current draw on low: 0.15A  
 Current draw on high: 0.27A  
 The perfect fan for narrow spaces  
 Compact design with a high-efficiency blade  
 3-speed center push button control  
 Long life 5000+ hour motor  
 Adjustable angle and direction

Bora 12V Fan White - 3100  
 Bora 12V Fan Black - 3101

*Caframo*



**Maestro Variable Speed Fan**

The Maestro fan builds on the popularity of the Bora fan with the addition of dual LED light and wired remote pendant control. A variable speed control allows boaters to find their perfect preferred airflow. The remote pendant can be surface or flush mounted up to 6 feet from the fan.

Product dimensions: 6.5" x 3.0" x 8.5" (165 mm x 76 mm x 216 mm)

Maestro Variable Speed Fan White -3101W  
Maestro Variable Speed Fan Black - 3101B

**12 Volt Car Fan**



This 12V 6" (150mm) single speed oscillating fan features metal safety guard and plugs directly in cigarette lighter or 12V power socket.  
-Ideal for cars, trucks, off road machinery & boats  
-Power Consumption: 0.65 amp  
**12 Volt Car Fan - 3105**

**12V Coolbreeze Fan**



This powerful but lightweight portable fan is suitable for all kinds of recreational applications such as camping & caravanning. (10) 30cm high volume fan blades that deliver a refreshing breeze. Includes a 3 speed control (1) 2.0amp (2) 2.7amp (3) 3.4amp

12 Coolbreeze Fan -3113



**Fresca 12V Directional Fan**

The gimbaled design allows for 360 airflow with 3 speed fan options. This new fan can be set on a timer 3 - 12 hours at a time with illuminated settings. This product comes with a 2 year warranty. Designed to be super ultra-quiet And most of all a low power draw at less then 0.35 amps on high speed!  
Voltage: 12v/24v

Specifications  
Blade diameter: 18cm  
Dimensions: 31.5cm (H) x 8.9cm (D) x 23.5cm (W)  
Preset timer settings: 3/6/9 or 12 hours  
Voltage: 12/24 Volt Auto-sensing  
Amperage Draw: Less then 0.35 amps at high speed



Fresca Fan White -3114  
Fresca Fan lack - 3114B

**12V Ceiling Fan with Clips**



Features:  
12V Operation  
No Permanent Installation Required  
Hangs Up In Seconds  
Battery Clamp Connection  
10W Power at 12VDC

12V Ceiling Fan - 3121

## 12V Kettle



12V Travel Kettle to provide you with piping hot water for your coffee, tea, soup, noodles, or baby bottles! Capacity: 1 Litre  
 Voltage: 12V DC  
 Current Draw: 150 Watts  
 Amperage: 11 Amps  
 Dimensions: 165mm (W) x 185mm (H) x 150mm (D)  
 Cable Length: 1.5 meters  
 Boil Dry Protection  
 Stainless Steel Base  
 BPA Free  
 Note: At full capacity, it may take up to 20 minutes to reach boiling point.

12V Kettle - 3122



## 12V Portable Ceiling Fan with Plug



12V Operation  
 - No Permanent Installation Required  
 - Hangs Up In Seconds  
 Specifications  
 Power: 12VDC @ 10W  
 Speed: 272RPM  
 Dimensions (from tip of fan blade to tip of fan blade): Approx 600mm  
 The actual blade is 240mm. From centre of fan to end of blade is 300mm.

12V Portable Ceiling Fan - 3122P



## 12 Volt Portable Stove



2.8L Capacity  
 Cooks & Warms to 149C  
 Extension cord to 1.8M  
 15A Inline fuse holder  
 Great for meals on the go - vehicle or camping  
 Cable length: 1.9m

Dimensions:  
 External: 270mmL x 200mmH x 170mmW  
 Internal: 230mmW x 130mmW x 80mmH

12V Portable Stove - 3125



## 12V Oven

Height 190mm  
 Width 235mm  
 Depth 280mm



Heat a meal on the move  
 Fitted with a 2 hour timer to protect from battery failure  
 12 Volt DC 6 Amp  
 Insulated stainless steel  
 Manufactured and designed in Australia  
 170 degrees Celsius+ after initial warm up

Travelbuddy Oven - 3126



## 12 Volt Marine Oven



Heat a meal on the move  
 Fitted with a 2 hour timer to protect from battery failure  
 12 Volt DC 10 Amp  
 Insulated stainless steel  
 Manufactured and designed in Australia  
 190 degrees Celsius+ after initial warm up

Height 190mm  
 Width 320mm  
 Depth 280mm

Travelbuddy Oven Marine - 3126M

**Bus Bar Covers Black/Red**



- 6 Terminal - 3160
- 12 Terminal - 3162
- 24 Terminal - 3164

**30 Amp Blade Fuse Holder  
Water Resistant**



Accepts standard blade fuses up to 30A  
Supplied with a small length of cable.  
Just cut & connect in line.

30 Amp Blade Fuse Holder - 3168

**Fixed Polarity Plug**



Fixed Polarity Plug White - 3170

**Machined Brass Busbar (8 way)**



These are usually used to give an electrically common point for each wiring

Machined Brass Busbar (8 way) - 3189

**Bus Bars**



- 16 Terminal - 3190
- 6 Terminal - 3191
- 12 Terminal - 3192
- 24 Terminal - 3193

**Fixed Polarity Cord Socket**



A fixed polarity extension cord socket

Fixed Polarity Cord Socket - 3200



**Fuse Boxes**



Blade fusebox with transparent cover, gasket and terminals.

- 4 Blade - 3210
- 6 Blade - 3212
- 8 Blade - 3214



**6 Way Fuse  
Distribution  
Box**

NARVA 54446BL  
Designed to eliminate extensive and messy wiring this fuse box is ideal for applications running numerous circuits and accessories.  
Lockable transparent cover  
86 adhesive labels included



6 Way Distribution Box - 3216

**10 Way Fuse Distribution  
Box**



- 10 way
- Dimensions: 95(L) x 85(W) x36(H)mm
- Input: 100A Max
- Output: 30A Max Per Circuit
- Note: Fuses not included.

10 Way Distribution Box - 3217



**12 Way Fuse  
Distribution  
Box**

NARVA 54450BL Designed to eliminate extensive and messy wiring this fuse box is ideal for applications running numerous circuits and accessories.

Dual power inputs  
Inbuilt common earth returns  
For use with standard ATS blade fuses & ATS plug in circuit breakers  
Lockable transparent cover  
86 adhesive labels included



12 Way Distribution Box - 3218



**NARVA**

**8 Way Standard ATS Blade Fuse or Plug-In Type Circuit Breaker**




Includes circuit identification stickers for commonly fused accessories

Amperage rating 25A per circuit at 12V 150A max per block

8 Way Standard ATS Blade Fuse - 3219

**NARVA**

**10 Way Standard ATS Blade Fuse or Plug-In Type Circuit Breaker**



Includes circuit identification stickers  
 Amperage rating 25A per circuit at 12V 150A max per block

10 Way Standard ATS Blade Fuse - 3221

**12 Way Fuse Distribution Box With Fuses**



Input rated current: max.100A  
 Max current:30AMP/way  
 Main line terminal: M5 threaded stud  
 Main line: #4-6  
 Single line terminal: M4 threaded stud  
 Single line: #12-16  
 Dimension: 138.25x85x36.5mm (Approx.)  
 Fuse: 6x20A, 6x15A, 6x10A, 6x5A  
 12 Way Fuse Distribution Box - 3222

**6 Way Fuse Distribution Box**



Up to 30A per output  
 Red LED blown fuse indication  
 Negative bus bar  
 Main Input Line:  
 Terminal Rating: M5 Threaded Studs (32VDC, 100A maximum)  
 Wire Size: 4-6 AWG  
 Single Output Line:  
 Terminal Rating: M4 Threaded Studs (32VDC, 30A maximum)  
 Wire Size: 12-16 AWG  
 Terminals: Nickel Plated Copper  
 Screws: Stainless Steel

6 Way Fuse Distribution Box - 3223

**12 Volt Single Pole Switch**



12 Volt Single Pole Switches - 3225

**Labelled 12v Pump Switch**



12V Switch with "Pump" printed on the switch.

12 Volt Single Pole Switches Pump - 3226

**Fixed Polarity Socket**



Surface mount polarity socket

12 Volt Single Pole Switches - 3230

**50A DC Circuit Breaker Fuse Reset 12-24V**



50A DC Circuit Breaker Fuse Reset 12-24V - 3244

**100A DC Circuit Breaker Fuse Reset 12-24V**



100A DC Circuit Breaker Fuse Reset 12-24V- 3246

**NARVA**

**12V Battery Master Switch Cut Off with Key**



NARVA 61078BL Suitable for applications up to 48VDC. 1500A at 12V for 10 seconds 750A at 24V for 10 seconds 300A at 12V continuous load maximum 150A at 24V continuous load maximum

12V NARVA Battery Master Switch Cut Off with Key - 3262

**NARVA**

**Battery Master Switch Rotary Style**



NARVA 61082BL Suitable for applications up to 48VDC, 1500A at 12V for 10 seconds 750A at 24V for 10 seconds 300A at 12V continuous load maximum 150A at 24V continuous load maximum

Battery Master Switch Rotary Style - 3263

**NARVA** Battery Master Switch  
Rotary Style with 4  
Positions



NARVA 61084BL Suitable for applications up to 48VDC 4 Position feature – Battery 1 and 2, Battery 1, Battery 2, Off. 1500A at 12V for 10 seconds 750A at 24V for 10 seconds 300A at 12V continuous load maximum 150A at 24V continuous load maximum

Battery Master Switch Rotary Style with 4 Positions - 3264

Battery Master Switch with Key



Comes complete with two keys.

Battery Master Switch with Key - 3265



Wingnut  
Brass Battery  
Positive Terminal



Wingnut Brass Battery Positive Terminal -3268



Wingnut  
Brass Battery  
Positive Terminal



Wingnut Brass Battery Negative Terminal - 3269

Battery Isolator Switch



Isolate your battery power to your RV, boat or motorhome. Can also be used as an anti-theft device

Battery Isolator Switch - 3270



8-Way LED Switch Panel with Fuse Protection



SPST, 'On' illumination Amperage rating 20A at 12V, 10A at 24V  
Mounting opening 209 x 93mm  
Overall Panel Dimensions: 235 x 120mm


8-Way LED Switch Panel with Fuse Protection - 3272

12V Wireless Flushmount Charger with USB



With USB Port  
Input: 12V-18V/1.5A  
USB Output: 5V/2A (Max)  
Wireless Charging Output: 5W,10W  
(Compatible with 7.5W)  
This unit needs to be hardwired in

12V Wireless Flushmount Charger - 3279



**Anderson Style Connector - 50 Amp**

Ideal for environments where a durable, rugged connector, capable of high current transfer is required. Features  
 - Impact resistant polycarbonate housing  
 - Silver plated solid copper terminals.

- Amperage rating: 50A
- Suits cable size: 8mm<sup>2</sup> (8 B&S)
- Includes:
  - 1 x Grey housing
  - 2 x Terminals

- Anderson Plug Grey - 50 Amp - 3282**
- Anderson Plug Red - 50 Amp - 3282R**
- Anderson Plug Blue - 50 Amp - 3282B**

**Anderson Plug Cover**

Rubber boot cover. Protect your terminals from dust, dirt and moisture.

- Anderson Plug Cover Black - 3302**
- Anderson Plug Cover Red - 3302R**

**Anderson Plug T Handle**

Easily remove and connect your anderson plugs. Includes two screws.

- Anderson Plug T Handle Red - 3304R**
- Anderson Plug T Handle Black - 3304**



**TRAILER VISION** **Black 50 Amp Surface Mount Anderson Connector Cover with Red LED**



Secure and protective mounting system for Anderson style connectors. Accepts genuine Anderson & Anderson style Connectors

- Durable surface mount casing – Black colour
- Retractable cover with spring tab locking system
- Red LED function

**Anderson Plug Connector - 3300**

**TRAILER VISION** **Black 50 Amp Anderson Connector Housing Kit with Red LED**



Secure and protective mounting system for Anderson style plugs  
 Accepts genuine Anderson & Anderson style connectors

- Durable mount casing – Black colour
- 4 screw terminals
- LED power indicator

**Anderson Plug Connector - 3307**

**TRAILER VISION** **Black rubber 50 Amp Anderson Connector Cover with Red LED**



Secure and protective cover for Anderson style connectors  
 Accepts genuine Anderson & Anderson style plugs

- Durable rubber housing and dust cap – red
- Retractable cover with spring locking system
- Red LED power indicators

**Anderson Plug Connector Type 2 - 3306**

**TRAILER VISION** **50A Anderson Plug Voltmeter**



Secure and protective cover for Anderson style connectors  
 Accepts genuine Anderson & Anderson style plugs

- Durable rubber housing and dust cap – black
- Retractable cover with spring locking system
- Red LED power indicator

**50A Anderson Plug Voltmeter - 3308**

**NARVA**

## 10mm Loom Tube



This loom tube will keep all your wiring in place  
 . Comes in 3m lengths.  
 7mm Loom Tube - 3313  
 10mm Loom Tube - 3314

## Twin Sheath Wire



Available in 30m rolls.  
 4mm - 3320  
 5mm - 3322  
 6mm - 3324

## Single Core Wire



Available in 30m rolls.  
 6mm - 3350  
 5mm - 3355  
 4mm - 3360  
 3mm - 3365

**NARVA**

## Cable Ties



Standard 2.5mm wide, 25 per pack  
 Comes in 3 sizes: 100mm, 200mm and 300mm  
 100mm - 3380  
 200mm - 3381  
 300mm - 3382

## Digital Multi Meter



19 Range, 3.5 digit transistor test, diode test, 10A DC Current, full featured metre with 4mm probes

Digital Multi Meter - 3393

## 12 Volt Battery Tester



LED indicators verify condition of battery and alternator. Suitable for 12 volt DC systems. Fitted with 300mm of cable and clips.

12 Volt Battery Tester - 3398

## Mini LCD Thermometer



Simple LCD module to display the ambient temperature. Ideal for placing inside a fridge or around the house. Includes magnet and mounting clip for easy installation

Mini LCD Thermometer - 3400



## 3AG In Line Fuse Holder



3AG In Line Fuse Holder - 3410

**NARVA**

## Voltage Sensitive Relay



\* Automatically connects and disconnect an appliance or circuit at the preset input voltage. Ideal for dual battery systems or to switch high current appliances.  
 \* Features a surge protection, LED indicator silver tipped contact for durability and efficiency with a weatherproof body (IP65).  
 \* Cut-in: 13.3V  
 Cut out: 12.7V  
 160A at 12V for 60 seconds  
 140A at 12V continuous load maximum

Voltage Sensitive Relay - 3298

**NARVA**

## In-Line Maxi Blade Fuse Holder



Narva Part No. 54414BL  
 60Amp

In-Line Maxie Blade Fuse Holder - 3416

**NARVA**

## In-Line Standard ATS Blade Fuse Holder



Narva Part No. 54406BL  
 30Amp

In-Line Standard ATS Blade Fuse Holder - 3417

**NARVA**

## In-Line Mini Blade Fuse Holder



Narva Part No. 54412BL  
 30Amp

In-Line Mini Blade Fuse Holder - 3418



**Mini Blade Fuse Assortment 52700BL**



Comprises: 1 x 5A, 1 x 10A, 1 x 15A, 1 X 20A, 2 x 25A Mini blade fuses- 52700BL

Mini Blade Fuse Assortment 52700BL - 3430



**Mini Blade Fuse**




(Blister pack of 5)

- 5 AMP Orange Mini Blade Fuse 52705BL - 3431
- 10 AMP Red Mini Blade Fuse 527105BL - 3432
- 15 AMP Blue Mini Blade Fuse 52715BL - 3433
- 20 AMP Yellow Mini Blade Fuse 52720BL - 3434
- 30 AMP Green Mini Blade Fuse 52730BL - 3435



**ATS Blade Fuse Assortment**



Comprises 1 x 10A, 4 x 15A, 1 X 20A, 2 x 25A ATS blade fuses

Mini Blade Fuse Assortment 52700BL - 3430



**ATS Blade Fuse**



(Blister pack of 5) 19 x 19mm

- 5 AMP Orange ATS Blade Fuse 52805BL - 3437
- 10 AMP Red ATS Blade Fuse 52810BL - 3438
- 15 AMP Blue ATS Blade Fuse 52815BL - 3439
- 20 AMP Yellow ATS Blade Fuse 52820BL - 3440
- 30 AMP Green ATS Blade Fuse 52830BL - 3441



**Maxi Blade Fuse**



- 20 AMP Yellow Maxi Blade Fuse 52920BL - 3442
- 30 AMP Green Maxi Blade Fuse 52930BL - 3443
- 40 AMP Orange Maxi Blade Fuse 52940BL - 3444
- 50 AMP Red Maxi Blade Fuse 52950BL - 3445
- 60 AMP Blue Maxi Blade Fuse 52960BL - 3446

**Stainless Steel Cigarette  
Lighter Socket**



Stainless steel cigarette lighter socket  
with plastic cap.

Stainless Steel Cigarette Lighter  
Socket - 3260

**Panel Mount Accessory  
Socket**



12 volt accessory socket  
Single metal housing socket  
Plastic dust cap and wire harness  
Includes fitted spade terminals & screws  
for mounting 10 amp rated

Underdash S/S Cigarette Lighter  
Socket - 3261

**Twin USB In-Dash Socket**



Maximum current rating is 2.1 amps/ 10.5  
watts (@5V)

Twin USB In Dash Socket - 3280

**12V Accessory Socket**



12V Accessory Socket - 3277

**Underdash Stainless Steel  
Cigarette Lighter Socket**



Panel Mount Accessory Socket - 3278

**Power Clips And Socket**



Simply clips onto car battery terminals  
Cigarette lighter socket at other end.

Power Plug And Socket - 3290

**Waterproof Socket with Plug  
MARINE GRADE**



Socket mounts through panel held with 2  
screws and has a waterproof rubber cover.

Socket - 3394

Plug - 3395

Plug & Socket -3396

**7.5A Cigarette Lighter Socket  
Plug with SAE Adaptor**



This unit consists of the popular  
polarised SAE plug/skt to a line cigarette  
lighter socket. The lead assembly is  
450mm long and the wiring is 7.5A rated,  
unfused.

7.5A Plug with SAE Adaptor - 3408

**SAE Plug to Cigarette Plug  
Lead**



This unit consists of the popular  
polarised SAE plug/skt to a line  
cigarette lighter socket. The socket has  
a rubber moisture/dust cover. The lead  
assembly is 450mm long and the wiring  
is 7.5A rated, unfused.

SAE Plug to Cigarette Plug Lead - 3409

**3 Amp Cigarette Socket  
& 1m Lead**



High quality lead with a 3 amp fused  
Cigarette lighter plug on one end.  
Internal fuse: 3Amp 3AG  
Cable length: 1m approx

3 Amp Cigarette Socket & 1m Lead - 3413

**8 Amp Cigarette Lead**



A high quality lead consisting of an 8  
amp fused cigarette lighter plug and 5  
metres of thick cable.

8 Amp Cigarette Lead - 3415

**12V Flush Mount Dual USB 3.1A with Swivel Cover**



The swivel cover helps protect the ports when not in use, and the 3.1A output rating means that the ports can deliver a total of 3.1 amps of power to connected devices.

Available in Black & White

Flush Mount Dual USB 3.1A with Swivel Cover  
 White - 3414W  
 Black - 3414B

**12V USB Twin Charging Station USB A/USB C**



2 ports, Type C, USB A12-24V  
 Available in Black & White

12V USB Twin Charging Station USB A/USB C  
 Black - 3414B

12V USB Twin Charging Station USB A/USB C  
 White - 3414W

**12V USB Multi Socket**



Attractive USB multi socket. 5V Outlets

USB Multi Socket - 3419

**Hella Plug Socket With Spring Cover**



Hella Plug Socket With Spring Cover - 3420

**USB A to USB C Charging Lead 2M**

2 metre white coloured braided cord.



Compatible with Android and selected Apple products and devices.

USB A to USB C Charging Lead 2M - 3421

**Underdash Double Cigarette Plug**



A dual socket mounted on a steel frame which in turn mounts under the dashboard.

Underdash Double Cigarette Plug - 3425

**Cigarette Lighter Twin Socket**



Cigarette Lighter Twin Socket - 3450

**Male Hella Plug**



Male Hella Plug - 3460

**Merrit Plug With Cigarette Adaptor**



Merrit Plug With Cigarette Adaptor - 3472



**12V Heavy Duty Andersen Connector Extension 3 Metre**

Features 3m heavy-duty cable for maximum power efficiency and 50A battery connectors. Amperage rating 50A at 12V, 25A at 24V

12V Heavy Duty Andersen Connector Extension 3 Metre - 3484

**12V Flushmount Accessory Socket/ Twin USB**



USB Socket Input 12V Output 5V/1A & 5V/2.1A  
Dust covers and heavy-duty construction. Can be installed into interior or exterior panels including steel and aluminium.

12V Accessory Socket/USB - 3479

**Underdash Dual Cigarette Plug & Protective Cover**



Maximum current rating is 20amps / 240 watts (@12V) or 10amps / 240 watts (@24V)

Underdash Dual Cigarette Plug & Protective Cover - 3481

**NAFVA Twin USB Power Adaptor 81039BL**



Ideal for items powered by USB ports such as MP3 players, cameras, PDA's, GPS etc. Output 5V, 2A (1A per socket)

Twin USB Power Adaptor 81039BL - 3483



**12V Heavy Duty Andersen Connector Extension 5 Metre**

Features 5m heavy-duty cable for maximum power efficiency and 50A battery connectors. Amperage rating 50A at 12V, 25A at 24V

12V Heavy Duty Andersen Connector Extension 5 Metre - 3485

**12V Heavy Duty Andersen Connector Extension 10 Metre**



Features 10m heavy-duty cable for maximum power efficiency and 50A battery connectors. Amperage rating 50A at 12V, 25A at 24V

12V Heavy Duty Andersen Connector Extension 10 Metre - 3486

**Heavy Duty Adaptor (Battery Clips To Battery Connector)**



Ideal for powering appliances with a 50A battery connector directly from a battery. Features 200mm of heavy-duty straight cable and quality battery clips. Amperage rating: 50A at 12V, 25A at 24V

Heavy-Duty Adaptor (Battery Clips to Battery Connector) - 3487

**12V Heavy-Duty Adaptor 8mm Ring Term Battery**



Ideal for permanent installation to a battery, featuring 200mm of heavy-duty straight cable and 50A battery connector. Amperage rating: 50A at 12V, 25A at 24V

Heavy-Duty Adaptor (8mm Ring Terminals to Battery Connector) - 3488

**Heavy Duty 50A To Twin 50A Connector**



Features 150mm of heavy-duty straight cable and dual 50A battery connectors for powering multiple high draw appliances. Amperage rating: 50A at 12V, 25A at 24V

Heavy Duty 50a To Twin 50a Connector - 3489



**12V Anderson To Engel Plug 3 Metre**



Three meter lead allows you to connect your Engel fridge to an Anderson style connector.

12V Anderson To Engel Plug 3 Metre - 3490

**12V Anderson To Dometic Plug 3m**



Three meter lead allows you to connect your Dometic fridge to an Anderson style connector.

12V Anderson To Dometic Plug 3m - 3491

**12V Anderson Plug Connector To Cigarette Plug**



This adapter bridges the gap between Anderson connectors and cigarette plugs, making it suitable for a wide range of applications.

12V Anderson Plug Connector To Cigarette Plug - 3493

**12V Anderson To Cigarette Socket**



This adapter bridges the gap between Anderson connectors and cigarette sockets, making it suitable for a wide range of applications.

12V Anderson To Cigarette Socket - 3495

**12V Engel Plug Connector To Cigarette Plug 3 Meter**



Seamlessly connects Engel plugs to standard cigarette sockets

12V Engel Plug Connector To Cigarette Plug 3 Meter- 3497

**12V Cigarette Plug To Dometic Fridge Plug Adaptor Lead 16AWG 3M**



This versatile adapter allows you to seamlessly connect Dometic and Waeco plugs to standard cigarette sockets

12V Cigarette Plug To Dometic Fridge Plug Adaptor Lead 16AWG 3M - 3499

**12V 1.8M Plug Connector To Cigarette Socket**



Allows you to power or charge devices that have a standard cigarette lighter plug using your vehicle's 12V power supply

12V 1.8M Plug Connector To Cigarette Socket - 3450

**NARVA**

**Surface Mount  
Socket ACC/USB  
81168BL**



Amperage rating:  
Accessory Socket 20A at 12V, 10A at 24V  
USB Output 5V, 2.5A

Black 81168BL - 3482  
White 81168WBL - 3482W

**NARVA**

**Surface Mount  
Socket ACC/ACC  
81160BL**



Heavy Duty Twin Surface Mount  
Accessory Sockets. Features dustproof  
covers  
Amperage rating 20A at 12V, 10A at 24V  
per socket 6.3mm Push on Terminals for  
easy wiring

Surface Mount Socket ACC/ACC  
81160BL - 3453

**NARVA**

**Surface Mount  
Socket ACC/ENGEL  
81165BL**



Ideal for four wheel drive enthusiasts and  
caravan owners, the sockets offer a unique  
combination of a 20amp cigarette lighter  
socket for accessories (10amp @ 24V)  
paired with an Engel type 15amp socket  
(12V, 7.5A @ 24V).

Surface Mount Socket ACC/MERRIT  
81164BL - 3454

**NARVA**

**Surface Mount  
ACC/ACC  
81160WBL**



Amperage rating:  
Accessory Socket 20A at 12V, 10A at 24V  
USB Output 5V, 2.5A

Surface Mount Socket ACC/ACC  
81160WBL - 3456

**NARVA**

**Flush Mount Socket  
ACC/USB 81144BL**



Amperage rating:  
Accessory Socket 20A at 12V, 10A at 24V  
USB Output 5V, 2.5A  
Mounting opening 29mm dia. per socket

Flush Mount Socket ACC/USB 81144BL - 3457

**NARVA**

**Flush Mount Socket  
ACC/ACC 81027BL**



Each socket is 20 amp continuous @ 12 volts  
, 25 amp peak and 0-36 volt rated . Socket  
40mm long x 28mm dia approx, Flush plate  
110mm x 43mm approx

Surface Mount Socket ACC/ACC 81027BL - 3452

**NARVA**

**Flush Mount Socket  
ACC/ENGEL 81142BL**



Ideal for four wheel drive enthusiasts and  
caravan owners, the sockets offer a unique  
combination of a 20amp cigarette lighter  
socket for accessories (10amp @ 24V)  
paired with an Engel type 15amp socket  
(12V, 7.5A @ 24V).

Flushmount Socket ACC/ENGEL 81142BL - 3458

**NARVA**

**Surface Mount ACC  
Socket 81025WBL**



Features dustproof cover and stylish  
surface mount plastic housing, ideally  
suited to RV and marine type applications  
Amperage rating 20A at 12V, 10A at 24V

Surface Mount ACC Socket 81025WBL - 3459

**NARVA**

**Flush Mount Socket  
Dual USB 81134BL**



Heavy Duty Dual USB Charger Socket Output 5  
Volt / 2.5 Amp. Input 12 Volt Two USB 2.0  
ports with Dustproof rubber cover. Suitable for interior  
or exterior

Flush Mount Socket Dual USB Black  
81134BL - 3480

Flush Mount Socket Dual USB White  
81134WBL - 3480W

**NARVA**

**Surface Mount Dual  
USB Socket 81154BL**



Heavy Duty Dual USB Charger Socket Output  
5 Volt / 2.5 Amp. Input 12 Volt Two USB 2.0  
ports with Dustproof rubber cover. Suitable for  
interior or exterior

Surface Mount Dual USB Socket Black - 3461  
81154WBL Surface Mount Dual USB Socket  
White - 3461W

**NARVA**

**Flushmount  
Socket ENGEL 81132BL**



Dustproof Cover  
Heavy Duty Construction  
Allows Installation into Interior or Exterior  
Mounting Opening 29mm dia.  
Amperage Rating 15A at 12V, 7.5A at 24V

Flushmount Socket ENGEL 81132BL - 3462

**NARVA**

**Surface Mount ACC  
Socket 81025BL**



Features dustproof cover and stylish surface  
mount plastic housing, ideally suited to RV and  
marine type applications  
Amperage rating 20A at 12V, 10A at 24V

Surface Mount ACC Socket 81025BL - 3463

# **e** BRAKES

*Specializing in Portable Electric Trailer Brakes*

## Tekonsha Portable Wiring Harness



Wiring harness / Wiring Loom compatible with Tekonsha electric brake controllers such as the Prodigy, Primus IQ & P3. This wiring looms enables the Tekonsha brake unit to become a portable device and is a great option for those who already own a Tekonsha brake unit and which to use it between different vehicles.

Requires one of EBrake custom trailer adapters for operation.

Compatible with the below brake controllers:

- Tekonsha Voyager
- Hayman Reese Vinotour
- Tekonsha Primus IQ
- Hayman Reese Guardian Time
- Tekonsha Prodigy P2
- Hayman Reese Guardian IQ
- Tekonsha Prodigy P3

**Tekonsha Portable Wiring Harness 3505**

## Portable Electric Brake Kit With Large Round Adapter



For this adapter to work your tow vehicle must be fitted with an Anderson socket.

This adapter is comprises additional 2 pin plug for use with our portable wiring harness.

This wiring looms enables the brake unit to become a portable device and is a great option for those who cannot complete a permanent installation in their vehicle or have the need to switch the brake unit between multiple tow vehicles.

**Portable Electric Brake Kit With Large Round Adapter - 3506**

## Portable Electric Brake Kit With IQ Controller



A totally proportional electric trailer brake control unit which is self-levelling with an LED voltage display. Once the unit is mounted via one of its two supplied cradles its ready to plug & play. This kit is by far the most affordable solution and is perfect for using between different family member vehicles where you don't want to permanently install a brake unit.

**Portable Electric Brake Kit With IQ Controller - 3507**

## Portable Electric Brake Kit With 7 Flat + Anderson Adapter



For this adapter to work your tow vehicle must be fitted with an Anderson socket.

This adapter is comprises additional 2 pin plug for use with our portable wiring harness.

This wiring looms enables the brake unit to become a portable device and is a great option for those who cannot complete a permanent installation in their vehicle or have the need to switch the brake unit between multiple tow vehicles.

**Portable Electric Brake Kit With 7 Flat + Anderson Adapter - 3508**

# **e BRAKES**

*Specializing in Portable Electric Trailer Brakes*

**12 Pin Flat to Trailer - 7pin Small Round to Vehicle**



Suitable for trailers with a 7 pin flat or 12 pin flat connection & vehicles with a 7 pin small round socket. Commonly used in QLD & WA

**12pin Flat to Trailer - 7pin Small Round to Vehicle - 3509**

**12 - 7 Pin Flat**



Compatible with any of our portable electric brake kits. Suitable for trailers with a 7 pin flat or 12 pin flat connection & tow vehicles with either a 12 pin flat or 7 pin flat socket.

**12 Pin Flat to Trailer - 7 Pin Flat to Vehicle - 3510**

**12 Pin Flat to 7 Pin Flat**



**12 Pin Flat to 7 Pin Flat - 3512**

**12 Pin Flat to Trailer - 7pin Large Round to Vehicle**



Compatible with any of our portable electric brake kits. Suitable for trailers with a 7 pin flat or 12 pin flat connection & vehicles with a 7 pin large round socket.

**12 Pin Flat to Trailer - 7 Pin Large Round to Vehicle- 3513**

**12 - 7 Pin Flat with Anderson Socket**



Compatible with any of the EBRAKES portable electric brake kits. Suitable for trailers with a 7 pin flat or 12 pin flat connection & tow vehicles with either a 7 pin flat & Anderson Socket.

**12 Pin Flat to 7 Pin Flat with Anderson Socket - 3511**

**12 Pin Flat to Trailer - 7pin Flat to Vehicle with Anderson Socket**



Compatible with any of our portable electric brake kits. Suitable for trailers with a 7 pin flat or 12 pin flat connection & tow vehicles with either a 7 pin flat & Anderson Socket.

Note: For this adapter to work your tow vehicle must be fitted with an Anderson socket.

**12 Pin Flat to Trailer - 7pin Flat to Vehicle with Anderson Socket - 3514**

**DT2 Connector - Ready to Wire to Existing Trailer Socket**



If your caravan and vehicle trailer sockets already match, rather than purchasing one of the EBRAKES trailer adapters you can install this wiring loom in-line for direct connection. Simply install into your existing trailer plug.

**DT2 Connector - Ready to Wire to Existing Trailer Socket - 3515**



**Flat 7 Pin To 7 Pin Socket**



**Elecbrakes Plug & Play Adaptor A7-7.**  
 Suits 7pin flat plug to 7 pin flat plug.  
 Plug and Play Adapters allow the Elecbrakes device to be easily installed onto the trailer.  
 No wiring is required.

**Flat 7 Pin To 7 Pin Socket - 3520**



**Flat 12 Pin To 12 Pin Socket**



**Elecbrakes Plug & Play Adaptor A12-12.**  
 Suits 12pin flat plug to 12 pin flat plug.

Plug and Play Adapters allow the Elecbrakes device to be easily installed onto the trailer. No wiring is required.

**Flat 12 Pin To 12 Pin Socket - 3521**



**Remote Control**



The Elecbrake in-car remote control allows users to control brake response, select user-defined programs and activate trailer brakes only by the manual override button.

**Elecbrakes Remote Control - 3522**

**7 Pin Large Plastic Round Plug**



**7 Pin Large Plastic Round Plug - 3540**

**7 Pin Large Round Trailer Socket**



**7 Pin Large Round Trailer Socket - 3542**

**7 Pin Large Boot Socket With Lead**



**7 Pin large round plastic boot socket connected to 1.25m flat cable with 7 wire clips.**

**7 Pin Large Boot Socket With Lead - 3550**

**7 Pin Large Round Metal Trailer Plug**



**7 Pin Large Round Metal Trailer Plug - 3555**

**7 Pin Large Boot Socket**



**7 Pin Large Boot Socket - 3564**

**7 Pin Flat Boot Socket With Lead**



**1.25m Lead**

**7 Pin Flat Boot Socket With Lead - 3572**

**7 Pin Small Round Socket To 7 Pin Flat Trailer Plug**



**7 Pin Small Round Socket To 7 Pin Flat Trailer Plug - 3575**

**7 Pin Large Round Metal Trailer Socket**



**7 Pin Large Round Metal Trailer Socket - 3580**

**7 Pin Large Round To 7 Pin Flat Plug**



**7 Pin Large Round To 7 Pin Flat Plug - 3584**



**Trailer Mounted Electric Brake Controller**

Need an electric brake controller for towing or want to be able to use multiple vehicles? Elecbrake controller is the answer to all your towing needs. With its easy plug-and-play style, fitting is straightforward with no qualification required. No need to run wires down to the back of your vehicle.



**Trailer Mounted Electric Brake Controller - 3523**

### 7 Pin Flat Socket To 7 Pin Large Round Plug



7 Pin Flat Socket To 7 Pin Large Round Plug - 3596

### 7 Pin Flat Trailer Plug



15amp@12 volt flat plug.

7 Pin Flat Trailer Plug - 3605

### 7 Pin Flat Socket To 7 Pin Round Plug



7 Pin Flat Socket To 7 Pin Round Plug - 3608

### 7 Pin Flat Trailer Socket



15amp@12 volt flat socket.

7 Pin Flat Trailer Socket - 3620

### 12 Pin Flat Socket to 7 Pin Flat Plug



12 Pin Flat Socket to 7 Pin Flat Plug - 3621

### NARVA



### 12 Pin Dual Power Trailer Socket

### 2 IN 1

WITH NITE-LITE AND REED SWITCH



All-in-one trailer socket with 12 Pin Flat & 50A Anderson style connector with Nite-lite and Reed switch  
Designed for camper trailers and caravans requiring high current power to the trailer.

Dual Power Trailer Socket - 3637

### NARVA

### 12 Pin Flat Trailer Plug 82171BL



12 Pin Flat Trailer Plug - 3632

### 7 Core Trailer Trailer Cable

#### 7 Pin Round Plug & Socket

PIN No. CIRCUIT

COLOUR

1	Left-hand turn	Yellow
2	Reversing signal	Black
3	Earth return	White
4	Right-hand turn	Green
5	Service brakes	Blue
6	Stop lamps	Red
7	Rear lamps, clearance & side marker lamps	Brown



7 Pin Plug



7 Pin Socket

6mm- 55amps

**PLEASE SPECIFY COLOUR WHEN ORDERING**

7 Core Trailer Trailer Cable 100m - 3650  
7 Core Trailer Trailer Cable - Per meter - 3651

### NARVA

### 12 Pin Flat Trailer Socket 82072BL



12 Pin Flat Trailer Socket - 3633

### 12 Pin Trailer Plug



12 Pin Flat Trailer Plug - 3635

### 12 Pin Trailer Socket



12 Pin Flat Trailer Socket - 3636

**Duo Trailer Socket**

**7 Pin Flat with 50A All In One Connector**

The all new all in one Duo Connectors from Trailer Vision provide a fast fitting, LED indicators and easy mounting solutions for applications where trailer connectors and anderson style connectors are required such as dual battery tow bar installations.

The Duo range has been specially designed to use Trailer Vision's popular patented connector cover interlocking technology which allows for any Trailer Vision mating anderson style connector cover to lock with the Duo connector range providing a safe and secure connection. Whats more the new Duo range has a removable Anderson style connector, allowing the use of any brand including Genuine Anderson connectors the ideal choice for tradies. These combined features are a first in the market for connectors of this type.

81181BL - 3653



**Narva HDRV Power H/D Surface Mount Accessory / 12/24V DC LED Amp & Volt Meters 81195BL**



81181BL - 3654



**Narva HDRV Power H/D Flush Mount Accessory / 12/24V DC LED Amp & Volt Meters 81185BL**



81185BL - 3652



**HDRV Power H/D Triple Flush Mount Accessory / Dual USB /12/24V DC LED Volt Meter 81181BL**



Easy to read L.E.D display  
6-33V DC Volt Meter  
Dust proof rubber cover  
Slush mounts for factory finish  
Suitable for interior fitment only

81181BL - 3653



**HDRV Power H/D Triple Surface Mount Accessory / Dual USB /12/24V DC LED Volt Meter 81191BL**



Easy to read L.E.D display  
6-33V DC Volt Meter  
Dust proof rubber cover  
Slush mounts for factory finish  
Suitable for interior fitment only

81191BL - 3655

