


## Section 9

# Television

- LED Televisions
- Satellite Systems
- Wall Brackets
- Antennas
- Antenna Mounts
- Wall Plates
- Antenna Sockets
- Masts
- Signal Finders



## axis

### 22" HD LED TV DVD Combo 12/24V With Bluetooth



Designed for caravans, RV's and other mobile applications. 12/24V Bluetooth HD LED TV that support a wide choice of media inputs, which allows enjoyment of movies, music, photos and more via DVD, CD, USB or an external source unit. Users are able to control live TV via the PVR & Timeshift functions. The AX19BT series are also built to resist moisture and handle vibrations experienced when on the move

- Display Size: 22" (56cm)
- Resolution: 1920 x 1080
- Input: 9-36V DC / 4A @12V
- Optional AC Adapter: 240V 50Hz/60Hz
  - Size: 506 x 49 x 301mm
- 100 x 100 VESA Mounting
  - Net weight: 3.4 kg
- Built-In DVD Player
- Bluetooth Audio Transmitter

(Stand not included)

22" HD LED TV DVD Combo With Bluetooth - 7025

## axis

### 24" HD LED TV DVD 12/24V With Bluetooth



Designed for caravans, RV's and other mobile applications. 12/24V Bluetooth HD LED TV that support a wide choice of media inputs, which allows enjoyment of movies, music, photos and more via DVD, CD, USB or an external source unit. Users are able to control live TV via the PVR & Timeshift functions. The AX19BT series are also built to resist moisture and handle vibrations experienced when on the move.

- Display Size: 24" (60cm)
- Resolution: 1920 x 1080
- Input: 9-36V DC / 4A @12V
- Optional AC Adapter: 240V 50Hz/60Hz
  - Size: 552 x 54 x 325mm
- 100 x 100 VESA Mounting
  - Net weight: 4.5 kg
- Built-In DVD Player
- Bluetooth Audio Transmitter

(Stand not included)

24" HD LED TV DVD 12/24V With Bluetooth - 7026

## axis

### 32" HD LED TV DVD 12/24V With Bluetooth



Designed for caravans, RV's and other mobile applications. 12/24V Bluetooth HD LED TV that support a wide choice of media inputs, which allows enjoyment of movies, music, photos and more via DVD, CD, USB or an external source unit. Users are able to control live TV via the PVR & Timeshift functions. The AX19BT series are also built to resist moisture and handle vibrations experienced when on the move.

- Display Size: 32" (81cm)
- Input: 9-36V DC / 4A @12V
- Optional AC Adapter: 240V 50Hz/60Hz
  - Size: 735 x 82 x 442 mm
- 100 x 200 VESA Mounting
  - Net weight: 5.1 kg
- Built-In DVD Player
- Bluetooth Audio Transmitter

(Stand not included)

24" HD LED TV DVD 12/24V With Bluetooth - 7027

## axis

### 22" TV 12/24V Includes Chromecast with Google TV



Designed for caravans, RV's and other mobile applications. 12/24V Bluetooth HD LED TV that support a wide choice of media inputs, which allows enjoyment of movies, music, photos and more via DVD, CD, USB or an external source unit, including Chromecast with Google TV. Users are able to control live TV via the PVR & Timeshift functions. The AX19GTV series are also built to resist moisture and handle vibrations experienced when on the move.

- Display Size: 22" (56cm)
- Resolution: 1920 x 1080
- Input: 9-36V DC / 4A @12V
- Optional AC Adapter: 240V 50Hz/60Hz
  - Size: 506 x 49 x 301mm
- 100 x 100 VESA Mounting
  - Net weight: 3.8 kg
- Built-In DVD Player
- Bluetooth Audio Transmitter

(Stand not included)

12/24V 22" TV Includes Chromecast with Google TV - 7025G

**axis**

**24" TV 12/24V Includes Chromecast with Google TV**



Designed for caravans, RV'S and other mobile applications. 12/24V Bluetooth HD LED TV that support a wide choice of media inputs, which allows enjoyment of movies, music, photos and more via DVD, CD, USB or an external source unit, including Chromecast with Google TV. Users are able to control live TV via the PVR & Timeshift functions. The AX19GTV series are also built to resist moisture and handle vibrations experienced when on the move.

- Display Size: 24" (60cm)
- Resolution: 1920 x 1080
- Input: 9-36V DC / 4A @12V
- Optional AC Adapter: 240V 50Hz/60Hz
- Size: 552 x 54 x 325mm
- 100 x 100 VESA Mounting
- Net weight: 4.5 kg
- Built-In DVD Player
- Bluetooth Audio Transmitter

(Stand not included)

12/24V 24" TV Includes Chromecast with Google TV - 7026G

**axis**

**Desk Mount Stand**



Desk mount kit to suit the Axis Televisions. Suitable for 19", 22" and 24" LED Combo's.  
Desk Mount Stand - 7010

**axis**

**240V AC Adaptor**



240V Adaptor to suit Axis Tv's  
Input: 100-240V 50/60 Hz 1.2A  
Output: 12V 3A

240V Adaptor - 7029

**axis**

**32" TV 12/24V Includes Chromecast with Google TV**



Designed for caravans, RV'S and other mobile applications. 12/24V Bluetooth HD LED TV that support a wide choice of media inputs, which allows enjoyment of movies, music, photos and more via DVD, CD, USB or an external source unit, including Chromecast with Google TV. Users are able to control live TV via the PVR & Timeshift functions. Built to resist moisture and handle vibrations experienced when on the move.

- Display Size: 32" (81cm)
- Resolution: 1366 x 768
- Input: 9-36V DC / 4A @12V
- Optional AC Adapter: 240V 50Hz/60Hz
- Size: 731.1 x 85.7 x 432.4
- 100 x 200 VESA Mounting
- Net weight: 5.1 kg- Built-In DVD Player
- Bluetooth Audio Transmitter

(Stand not included)

12/24V 32" TV Includes Chromecast with Google TV - 7027G

**SatKing**

**Satking Satellite Traveller Kit**



- Get access to all of the free to air channels on the Viewer Access Satellite Television (VAST) platform.
- 1 x SatKing DVBS2-800CA VAST decoder 1 x Vast card
  - 1 x 75cm removable arm dish
  - 1 x SatKing LNB 10.7
  - 1 x Adjustable leg satellite mobile stand with spirit level 3 x Pegs
  - 1 x 10m coaxial cable 1 x 2m coaxial cable
  - 1 x SatKing SK-500 satellite meter
  - 1 x Military compass
  - 1 x Padded Carry Bag
  - 1 x Detailed instructions.

Satking Satellite plus Vast System - 7081  
Vast Receiver Only - 7082

**Single Arm LCD TV Bracket  
With 2 Mounting Brackets**



**FLEXIBLE DETACHABLE BASE & DETACHABLE TV MOUNT**  
Two mounting bases allow easy TV location changes  
Exclusive locking system secures TV when travelling  
255mm maximum extension from wall to TV

Single arm LCD TV bracket with 2 mounting brackets- 0783

**Dual Arm LCD TV Bracket  
With 2 Mounting Brackets**




Fit 13"-27"screen size  
Up to 15kg load capacity  
Fit VESA mount 75x75mm and 100x100mm  
180° Swivel, 360° rotate and 15° tilt  
Dual arm  
Retractable arm and tilt function  
Efficient cable management  
Built-in spirit level

Single arm LCD TV bracket with 2 mounting brackets- 0783



**axis LCD/LED TV  
Wall Mount**



Single-Arm Wall Mount for LCD/LED TV Standard VESA: 50/75/100/200 x 200, Vesa max. 200mm x 200mm

LCD/LED TV Wall Mount - 7028

**LCD Monitor Wall Bracket  
with Cable Management**



A steel full motion flat panel mount, fit for 13-27 inch flat panel TVs and offers a max loading of 20kg.

- Fit for 13-27" flat panel TVs
  - Max loading 20kgs
  - VESA 75x75, 100x100

LCD Wall Bracket - 7101

**LCD Monitor Swing Arm Wall  
Bracket with Two Slide-In  
Locking Plates**



An adjustable LCD screen wall bracket, which you can tilt and swivel to get the best possible viewing angle. The industry standard VESA mount supports most LCD screens between 13-27", with a weight up to 15kg.

Wall Mount Swing Arm - 7103

**LCD Bracket T/S 19" -23"**



Pivot  
Cable management  
Black colour  
Mounting pack included

LCD Bracket T/S 19" - 23"TV -7181

**LCD Bracket T/S 19" -23"**



For mounting up to 22" LCD Tv's  
3 Pivot & Tilt

19"-22" LCD Bracket - 7182

**Triple Arm LCD TV Bracket With 2 Mounting Brackets**

Bracket is removable from the mounting base (to allow the bracket to be used on another mounting base in or outside the RV)  
Bracket head is removable to allow easy stowage of the TV when the vehicle is in transit.  
Easy locking system to lock the bracket against the wall when the vehicle is in transit.  
Mounting base includes a spirit level for quick & easy installation.  
Easy cable management system using removable plastic clips on the arms.

Specifications:  
Suits VESA 100mm x 100mm OR 75mm x 75mm Mounting Points  
Adjustable head by up to 14 Degrees in all directions  
All brackets rated at 15Kg load strength.

A BONUS second mounting base is supplied in the kit to allow an easy and cost effective addition of a second bracket mounting point.  
TV Size: Up to 24 Inch  
Max extension 545MM

Triple Arm LCD TV Bracket With 2 Mounting Brackets - 7085





**SatKing Orbit**

**FULLY AUTOMATIC SATELLITE TV SYSTEM**



The Orbit has a 85cm high gain dish to provide coverage for VAST & Foxtel Australia wide. Just press OK, simple. Utilising the latest in GPS technology to locate your exact location, the Orbit will quickly locate the desired satellite signal.

SatKing Orbit - 7183



**Sensar FreeVision HV Antenna**



A new & innovative antenna that receives both horizontal & vertical digital signals allowing for reception of more channels.

**Product Description**

It features two independently amplified antennas to deliver maximum digital VHF/ UHF programming. Made in the USA, this bidirectional antenna receives analogue as well as standard & HD digital signals & has been designed to fit rooves from 2.5cm – 12cm thick.

The OEM pack contains x 4 Sensar HV Antenna kits which include: antennas mounted on the reliable crank-up lift turret assembly, a white on/off power supply switch, hardware, 6.1mt coax cable & a 139.7cm coax cable. C-tick certified.

- Specifications
- Range: 144Km
- Operating Voltage: 12V DC
- Operating Dimensions (cm): 43.2W x 116H
- Stowed Dimensions (cm): 125.3L x 11.2H
- Weight: 3.13Kg

- Sensar Freevision OEM 4 Pack - 7197B
- Sensar Free Vision Single - 7197
- Sensar Freevision Retrofit - 7198

Retrofit Kit also sold separately

**Explorer Nomad C4 Antenna**


- The kit comes complete with 7 metres of low loss cable terminated and ready to use including weather boots.
- 12 volt plug pack
- 1 meter short lead for internal use
- VHF/UHF Antenna Amplifier
- “Thru-the-Wall” connection system. Full Instructions
- Technical support
- DC 12 volt supply
- 1 metre fly lead for use with TV set.



Explorer C4 Antenna - 7195



**Thru the Wall Coax Cable Connection**



Waterproof Rubber Cap  
Suitable for wall thickness 22mm - 35mm  
Internal wall plate 78mm x 33mm

Thru the Wall Coax Cable Connection -7226



**T Bar Antenna**



It tunes to both horizontal and vertical polarised signal and can pick up UHF/ VHF TV and FM radio reception. Will pick up digital signals.

T Bar Antenna - 7210



Pro Max

**Fully Automatic Satellite TV System**



The SatKing ProMax Fully automatic motorised satellite TV dish system is the most advanced system on the Australian market, utilising the latest in flat panel antenna design.

The flat panel design receives the signal through small copper slots that act like many antennas in one. The signal is fed through small chambers that actually increase the signal gain through this process. The antenna arrays are then mixed together via a combiner and fed into the high performance rear mounted LNB, resulting in greatly increased gain.

Satking Promax - 7251  
Vast Receiver Only - 7082



**Rayzar Antenna**

RAYZAR Thin antenna element.

The Rayzar Amped features a 0.43 millimeter ultra thin antenna element.

The Rayzar is super light too at just 9.6 ounces and has a small footprint of 13 x 12 inches.



The Rayzar Amped is perfect for Pop-up Campers, RVs, Trucking and more!

Extra long coax allows for optimal placement. Quick release suction cup clips make adjustments a breeze

WINEGARD  
RAYZAR.

Rayzar Antenna - 7258



**Wingman NZ**



- Features
- Optimizes Sensor for DTV channels
  - Increases UHF performance up to 100%
  - Free Digital Programming
  - Attaches to existing Sensor head
  - Installs in minutes - no tools required

Wingman NZ- 7290



**SATURN 7  
OMNI DIRECTIONAL  
ANTENNA**



•OMNI DIRECTIONAL •COMPACT •LIGHTWEIGHT

The Saturn 7 Omni Directional Antenna gives you enhanced digital performance, ideal for Caravans, Motorhomes, Boats & Yachts!

- Specifications
- Size: 360mm x 360mm x 195mm
  - Frequency: FM88-10/VHF174-230/UHF470-862Mhz
  - Gain: 30dBi
  - VSWR: < 2
  - Impedence: 75Ω
  - Power Supply: DC port (5V/500mA) or customized
  - Cable: 10 meter 3C-2V cable or customized
  - Connector: F male



Saturn 7 - 7241

**Explorer 4" Draw Bar Mount**



Explorer 4" Draw Bar Mount - 7262

**4" Mast Clamp**



Clamps to the caravan A-frame for mounting your antenna pole providing support for the mast Suits 4" A Frames.

Mast Clamp - 7270

**XL 6" Mast Clamp**



For larger A frames this 6 inch mast clamp will easily attach to fit your antenna pole. Suits 6" A Frames.

XL Mast Clamp - 7270XL



**Directional Handle Kit**



Winegard Directional Handle Kit - 7271



**Elevated Tubes**



To suit Winegard Sensor Antennas. Sold as a Pair

Winegard Elevated Tubes - 7272



**Spring**



Winegard Spring - 7273



**Elevation Gear**



Winegard Elevation Gear - 7274



**Gear Housing**



Winegard Gear Housing - 7276



**Wall Plate Power Supply**



Provides +12VDC to antenna and =12 volt receptacle as well as antenna signals to two TV sets.

Winegard Wall Plate Power Supply - 7277



**Replacement Handle**



In Blister Pack

Winegard Replacement Handle - 7279



**Cable Accessory Pack**



Winegard Cable Accessory Pack - 7281

**Explorer 6" Draw Bar Mount**



Explorer 6" Draw Bar Mount - 7283

**Aluminium Pole 1.8m - 3.6m**



Heavy duty aluminium extension pole with ring release at 100mm increments. Extends from 1.8m to 3.6m

Aluminium Pole 1.8m - 3.6m - 7284

**Handle Extension**



Winegard Handle Extension - 7285

**Install Kit For Winegard Sensor**



Winegard Install Kit - 7286

**Worm Gear**



Worm Gear and 12.25" Elevating Shaft Assembly, Gear Housing Plug, Wave Washer, Flat Washer & Quad Ring

Winegard Worm Gear - 7287

**Explorer Aluminium Telescopic Mast**



Explorer Aluminium Telescopic Mast - 7295



**Sensar Pro TV Signal Meter**



Displays signal strength of channels and allows you to peak in signals prior to channel scan on your TV.

Winegard Sensar Pro Signal Meter - 7312

**Flushmount Wall Socket - Female**



Standard power point size 71mmW x 115mmH

Flushmount Wall Socket - Female - 7315

**Splitter - Indoor (2 Way)**



This device will allow for more than one TV/Video/DVD etc., operate from your single aerial outlet.

Splitter - Indoor (2 Way) - 7318

**Exterior TV Receptacle**



Exterior TV Receptacle White - 7320  
Exterior TV Receptacle Black - 7321

**Cable TV Hookup Plate**



This Cable TV Hookup Plate is UV stable, fade and water resistant, and easy to install.

Cable TV Hookup Plate - 7325

**Flushmount Wall Socket - Male**



Standard power point size 71mmW x 115mmH

Flushmount Wall Socket - Male - 7330

**TV Floor Socket**



Usually mounts on to the skirting board of the floor

TV Floor Socket - 7335

**Caravan Antenna & Power Wallplate**



Includes weather resistant car accessory socket and back to back F antenna connector. Ideal for caravans and RV's.

Caravan Antenna & Power Wallplate - 7343

**Antenna Plate with Cigarette Lighter Socket**



Cigarette socket with antenna hook up on panel.

Antenna Plate with Cigarette Lighter Socket - 7345

**Coax Floor Socket**



Coax Floor Socket - 7350

**Clipsal RF Socket**



Clipsal RF Socket - 7351

**Australian RV TV Socket**



TV Socket White - 7352

TV Socket Black - 7353

**Replacement Power Supply For Masthead Amplifiers**



F socket power injector Includes F-59 male-male adaptor.. Available in 17.5V AC @ 100mA or 14V DC @ 150mA

17.5V AC - 7355  
14V DC - 7366

**Generic Winegard Antenna Replacement Elevating CrankHandle**



Generic Winegard Antenna Replacement Elevating CrankHandle - 7280

**Satellite Finder with LED Display**



Align your satellite dish quickly and accurately with this handheld satellite finder. Connected between the satellite dish and set top box the meter displays signal strength on the 6 LED display. Once the meter picks up a signal use the adjustable sensitivity to fine tune the angle and lock in on the signal. A small compass is included to help you get the dish pointed in the right direction. Perfect for setting up permanent dishes as well as portable systems on caravans or RVs.

Satellite Finder with LED Display - 7372

**Digital TV Signal Strength Meter**



Connect the pocket sized DVB-T signal strength meter and adjust the angle of your digital TV antenna, the easy to read LED indicator lets you know when you've hit the right spot. Adaptors included.

Requires 1 x 9V battery  
Frequency range: 40-862MHz  
Input Level: 50-90dBuV

Digital TV Signal Strength Meter - 7375

